

Scientific references on *Lactobacillus rhamnosus* GG (LGG®)

2009 (5)

1. Ahlroos T, Tynkkynen S. Quantitative strain-specific detection of *Lactobacillus rhamnosus* GG in human faecal samples by real-time PCR. *J Appl Microbiol* 2009;106(2):506-14.
2. Fang SB, Lee HC, Hu JJ, Hou SY, Liu HL, Fang HW. Dose-dependent effect of *Lactobacillus* GG on quantitative reduction of faecal rotavirus shedding in children. *J Trop Pediatr* 2009 [epub].
3. Princivalli MS, Paoletti C, Magi G, Palmieri C, Ferrante L, Facinelli B. *Lactobacillus rhamnosus* GG inhibits invasion of cultured human respiratory cells by *prtF1*-positive macrolide-resistant group A streptococci. *Lett Appl Microbiol* 2009;48(3):368-372.
4. Sanchez, B., P. Bressollier, et al. Identification of surface-associated proteins in the probiotic bacterium *Lactobacillus rhamnosus* GG. *Int Dairy J* 2009;19(2):85-8.
5. Toki S, Kagaya S, Shinohara M, Wakiguchi H, Matsumoto T, Takahata Y, et al. *Lactobacillus rhamnosus* GG and *Lactobacillus casei* Suppress *Escherichia coli*-Induced Chemokine Expression in Intestinal Epithelial Cells. *Int Arch Allergy Immunol* 2009;148(1):45-58.

2008 (44)

1. Amit-Romach E, Uni Z, Reifen R. Therapeutic potential of two probiotics in inflammatory bowel disease as observed in the trinitrobenzene sulfonic acid model of colitis. *Dis Colon Rectum* 2008;51(12):1828-36.
2. Basu S, Paul DK, Ganguly S, Chatterjee M, Chandra PK. Efficacy of High-dose *Lactobacillus rhamnosus* GG in Controlling Acute Watery Diarrhea in Indian Children: A Randomized Controlled Trial. *J Clin Gastroenterol* 2008.
3. Botes M, Loos B, van Reenen CA, Dicks LM. Adhesion of the probiotic strains *Enterococcus mundtii* ST4SA and *Lactobacillus plantarum* 423 to Caco-2 cells under conditions simulating the intestinal tract, and in the presence of antibiotics and anti-inflammatory medicaments. *Arch Microbiol* 2008;190(5):573-84.
4. Boyle RJ, Mah LJ, Chen A, Kivivuori S, Robins-Browne RM, Tang ML. Effects of *Lactobacillus* GG treatment during pregnancy on the development of fetal antigen-specific immune responses. *Clin Exp Allergy* 2008;38(12):1882-90.
5. Carey CM, Kostrzynska M, Ojha S, Thompson S. The effect of probiotics and organic acids on Shiga-toxin 2 gene expression in enterohemorrhagic *Escherichia coli* O157:H7. *J Microbiol Methods* 2008;73(2):125-32.
6. Choi CH, Kim TI, Lee SK, Yang KM, Kim WH. Effect of *Lactobacillus* GG and conditioned media on IL-1beta-induced IL-8 production in Caco-2 cells. *Scand J Gastroenterol* 2008;43(8):938-947.
7. Coudeyras S, Marchandin H, Fajon C, Forestier C. Taxonomic and strain-specific identification of the probiotic strain *Lactobacillus rhamnosus* 35 within the *Lactobacillus casei* group. *Appl Environ Microbiol* 2008;74(9):2679-89.

8. De Vecchi E, Nicola L, Zanini S, Drago L. In vitro screening of probiotic characteristics of some Italian products. *J Chemother* 2008;20(3):341-7.
9. Francius G, Lebeer S, Alsteens D, Wildling L, Gruber HJ, Hols P, et al. Detection, localization, and conformational analysis of single polysaccharide molecules on live bacteria. *ACS NANO* 2008;2(9):1921-9.
10. Ghadimi D, Folster-Holst R, de Vrese M, Winkler P, Heller KJ, Schrezenmeier J. Effects of probiotic bacteria and their genomic DNA on TH1/TH2-cytokine production by peripheral blood mononuclear cells (PBMCs) of healthy and allergic subjects. *Immunobiology* 2008;213(8):677-92.
11. Guarino MP, Altomare A, Stasi E, Marignani M, Severi C, Alloni R, et al. Effect of acute mucosal exposure to *Lactobacillus rhamnosus* GG on human colonic smooth muscle cells. *J Clin Gastroenterol* 2008;42 Suppl 3 (part 2):S185-90.
12. Halttunen T, Collado MC, El-Nezami H, Meriluoto J, Salminen S. Combining strains of lactic acid bacteria may reduce their toxin and heavy metal removal efficiency from aqueous solution. *Lett Appl Microbiol* 2008;46(2):160-5.
13. Haukioja A, Loimaranta V, Tenovuo J. Probiotic bacteria affect the composition of salivary pellicle and streptococcal adhesion in vitro. *Oral Microbiol Immunol* 2008;23(4):336-43.
14. Haukioja A, Soderling E, Tenovuo J. Acid Production from Sugars and Sugar Alcohols by Probiotic Lactobacilli and Bifidobacteria in vitro. *Caries Res* 2008;42(6):449-53.
15. Hedberg M, Hasslof P, Sjoström I, Twetman S, Stecksén-Blicks C. Sugar fermentation in probiotic bacteria - an in vitro study. *Oral Microbiol Immunol* 2008;23(6):482-5.
16. Iliev ID, Tohno M, Kurosaki D, Shimosato T, He F, Hosoda M, et al. Immunostimulatory oligodeoxynucleotide containing TTTCGTTT motif from *Lactobacillus rhamnosus* GG DNA potentially suppresses OVA-specific IgE production in mice. *Scand J Immunol* 2008;67(4):370-6.
17. Infante Pina D, Redecillas Ferreiro S, Torrent Vernetta A, Segarra Canton O, Maldonado Smith M, Gartner Tiziano L, et al. Improvement of intestinal function in cystic fibrosis patients using probiotics. *An Pediatr (Barc)* 2008;69(6):501-5.
18. Johnson-Henry KC, Donato KA, Shen-Tu G, Gordanpour M, Sherman PM. *Lactobacillus rhamnosus* strain GG prevents enterohemorrhagic *Escherichia coli* O157:H7-induced changes in epithelial barrier function. *Infect Immun* 2008;76(4):1340-8.
19. Kekkonen RA, Lummela N, Karjalainen H, Latvala S, Tynkkynen S, Jarvenpaa S, et al. Probiotic intervention has strain-specific anti-inflammatory effects in healthy adults. *World J Gastroenterol* 2008;14(13):2029-36.
20. Kekkonen RA, Sysi-Aho M, Seppanen-Laakso T, Julkunen I, Vapaatalo H, Oresic M, et al. Effect of probiotic *Lactobacillus rhamnosus* GG intervention on global serum lipidomic profiles in healthy adults. *World J Gastroenterol* 2008;14(20):3188-94.
21. Kopp MV, Goldstein M, Dietschek A, Sofke J, Heinzmann A, Urbanek R. *Lactobacillus* GG has in vitro effects on enhanced interleukin-10 and interferon-gamma release of mononuclear cells but no in vivo effects in supplemented mothers and their neonates. *Clin Exp Allergy* 2008;38(4):602-10.
22. Kopp MV, Hennemuth I, Heinzmann A, Urbanek R. Randomized, double-blind, placebo-controlled trial of probiotics for primary prevention: no clinical effects of *Lactobacillus* GG supplementation. *Pediatrics* 2008;121(4):e850-6.

23. Latvala S, Pietila TE, Veckman V, Kekkonen RA, Tynkkynen S, Korpela R, et al. Potentially probiotic bacteria induce efficient maturation but differential cytokine production in human monocyte-derived dendritic cells. *World J Gastroenterol* 2008;14(36):5570-83.
24. Lebeer S, Claes IJ, Verhoeven TL, Shen C, Lambrechts I, Ceuppens JL, et al. Impact of luxS and suppressor mutations on the gastrointestinal transit of *Lactobacillus rhamnosus* GG. *Appl Environ Microbiol* 2008;74(15):4711-8.
25. Lin PW, Nasr TR, Berardinelli AJ, Kumar A, Neish AS. The probiotic *Lactobacillus* GG may augment intestinal host defense by regulating apoptosis and promoting cytoprotective responses in the developing murine gut. *Pediatr Res* 2008;64(5):511-6.
26. Lopez M, Li N, Kataria J, Russell M, Neu J. Live and ultraviolet-inactivated *Lactobacillus rhamnosus* GG decrease flagellin-induced interleukin-8 production in Caco-2 cells. *J Nutr* 2008;138(11):2264-8.
27. Miettinen M, Veckman V, Latvala S, Sareneva T, Matikainen S, Julkunen I. Live *Lactobacillus rhamnosus* and *Streptococcus pyogenes* differentially regulate Toll-like receptor (TLR) gene expression in human primary macrophages. *J Leukoc Biol* 2008;84(4):1092-100.
28. Myllyluoma E, Ahonen AM, Korpela R, Vapaatalo H, Kankuri E. Effects of multispecies probiotic combination on *helicobacter pylori* infection in vitro. *Clin Vaccine Immunol* 2008;15(9):1472-82.
29. Nybom SM, Salminen SJ, Meriluoto JA. Specific strains of probiotic bacteria are efficient in removal of several different cyanobacterial toxins from solution. *Toxicon* 2008;52(2):214-20.
30. Pehkonen KS, Roos YH, Miao S, Ross RP, Stanton C. State transitions and physicochemical aspects of cryoprotection and stabilization in freeze-drying of *Lactobacillus rhamnosus* GG (LGG). *J Appl Microbiol* 2008;104(6):1732-43.
31. Piirainen L, Haahntela S, Helin T, Korpela R, Haahntela T, Vaarala O. Effect of *Lactobacillus rhamnosus* GG on rBet v1 and rMal d1 specific IgA in the saliva of patients with birch pollen allergy. *Ann Allergy Asthma Immunol* 2008;100(4):338-42.
32. Piirainen L, Kekkonen RA, Kajander K, Ahlroos T, Tynkkynen S, Nevala R, et al. In school-aged children a combination of galacto-oligosaccharides and *Lactobacillus* GG increases bifidobacteria more than *Lactobacillus* GG on its own. *Ann Nutr Metab* 2008;52(3):204-8.
33. Rautava S, Salminen S, Isolauri E. Specific probiotics in reducing the risk of acute infections in infancy - a randomised, double-blind, placebo-controlled study. *Br J Nutr* 2008:1-5.
34. Rokka S, Myllykangas S, Joutsjoki V. Effect of specific colostral antibodies and selected lactobacilli on the adhesion of *Helicobacter pylori* on AGS cells and the *Helicobacter*-induced IL-8 production. *Scand J Immunol* 2008;68(3):280-6.
35. Sentongo TA, Cohran V, Korff S, Sullivan C, Iyer K, Zheng X. Intestinal permeability and effects of *Lactobacillus rhamnosus* therapy in children with short bowel syndrome. *J Pediatr Gastroenterol Nutr* 2008;46(1):41-7.
36. Seow SW, Rahmat JN, Bay BH, Lee YK, Mahendran R. Expression of chemokine/cytokine genes and immune cell recruitment following the instillation of *Mycobacterium bovis*, *bacillus Calmette-Guerin* or *Lactobacillus rhamnosus* strain GG in the healthy murine bladder. *Immunology* 2008;124(3):419-27.
37. Seth A, Yan F, Polk DB, Rao RK. Probiotics ameliorate the hydrogen peroxide-induced epithelial barrier disruption by a PKC- and MAP kinase-dependent mechanism. *Am J Physiol Gastrointest Liver Physiol* 2008;294(4):G1060-9.

38. Sumeri I, Arike L, Adamberg K, Paalme T. Single bioreactor gastrointestinal tract simulator for study of survival of probiotic bacteria. *Appl Microbiol Biotechnol* 2008;80(2):317-24.
39. Turner PC, Wu QK, Piekkola S, Gratz S, Mykkanen H, El-Nezami H. *Lactobacillus rhamnosus* strain GG restores alkaline phosphatase activity in differentiating Caco-2 cells dosed with the potent mycotoxin deoxynivalenol. *Food Chem Toxicol* 2008;46(6):2118-23.
40. Valik L, Medvedova A, Liptakova D. Characterization of the growth of *Lactobacillus rhamnosus* GG in milk at suboptimal temperatures. *J Food Nutr Res* 2008;47(2):60-7.
41. Volkert M, Ananta E, Luscher C, Knorr D. Effect of air freezing, spray freezing, and pressure shift freezing on membrane integrity and viability of *Lactobacillus rhamnosus* GG. *J Food Eng* 2008;87(4):532-40.
42. Wakabayashi H, Nariai C, Takemura F, Nakao W, Fujiwara D. Dietary supplementation with lactic acid bacteria attenuates the development of atopic-dermatitis-like skin lesions in NC/Nga mice in a strain-dependent manner. *Int Arch Allergy Immunol* 2008;145(2):141-51.
43. Xu H, Lee HY, Hwang B, Nam JH, Kang HY, Ahn J. Kinetics of microbial hydrogenation of free linoleic acid to conjugated linoleic acids. *J Appl Microbiol* 2008;105(6):2239-47.
44. Zhang Q, Chen QY. Effect of *Lactobacillus rhamnosus* GG on immune response: experiment with autoimmune mice induced by *campylobacter jejuni*. *Zhonghua Yi Xue Za Zhi* 2008;88(48):3436-9.

2007 (41)

1. Basu S, Chatterjee M, Ganguly S, Chandra PK. Effect of *Lactobacillus rhamnosus* GG in persistent diarrhea in Indian children: a randomized controlled trial. *J Clin Gastroenterol* 2007;41(8):756-60.
2. Basu S, Chatterjee M, Ganguly S, Chandra PK. Efficacy of *Lactobacillus rhamnosus* GG in acute watery diarrhoea of Indian children: a randomised controlled trial. *J Paediatr Child Health* 2007;43(12):837-42.
3. Blumer N, Sel S, Virna S, Patrascan CC, Zimmermann S, Herz U, et al. Perinatal maternal application of *Lactobacillus rhamnosus* GG suppresses allergic airway inflammation in mouse offspring. *Clin Exp Allergy* 2007;37(3):348-57.
4. Bruzzese E, Raia V, Spagnuolo MI, Volpicelli M, De Marco G, Maiuri L, et al. Effect of *Lactobacillus* GG supplementation on pulmonary exacerbations in patients with cystic fibrosis: a pilot study. *Clin Nutr* 2007;26(3):322-8.
5. Canani RB, Cirillo P, Terrin G, Cesarano L, Spagnuolo MI, De Vincenzo A, et al. Probiotics for treatment of acute diarrhoea in children: randomised clinical trial of five different preparations. *Bmj* 2007;335(7615):340.
6. Cohen LA, Crespin JS, Wolper C, Zang EA, Pittman B, Zhao Z, et al. Soy isoflavone intake and estrogen excretion patterns in young women: effect of probiotic administration. *In Vivo* 2007;21(3):507-12.
7. Collado MC, Grzeskowiak L, Salminen S. Probiotic strains and their combination inhibit in vitro adhesion of pathogens to pig intestinal mucosa. *Curr Microbiol* 2007;55(3):260-5.
8. Collado MC, Meriluoto J, Salminen S. Development of new probiotics by strain combinations: is it possible to improve the adhesion to intestinal mucus? *J Dairy Sci* 2007;90(6):2710-6.

9. Corcoran BM, Stanton C, Fitzgerald GF, Ross RP. Growth of probiotic lactobacilli in the presence of oleic acid enhances subsequent survival in gastric juice. *Microbiology* 2007;153(Pt 1):291-9.
10. Delgado S, O'Sullivan E, Fitzgerald G, Mayo B. Subtractive screening for probiotic properties of *Lactobacillus* species from the human gastrointestinal tract in the search for new probiotics. *J Food Sci* 2007;72(8):M310-5.
11. Donkor ON, Tsangalis D, Shah NP. Viability of probiotic bacteria and concentrations of organic acids in commercial yoghurts during refrigerated storage. *Food Australia* 2007;59(4):121-126.
12. Farnworth ER, Mainville I, Desjardins MP, Gardner N, Fliss I, Champagne C. Growth of probiotic bacteria and bifidobacteria in a soy yogurt formulation. *Int J Food Microbiol* 2007;116(1):174-81.
13. Fayol-Messaoudi D, Coconnier-Polter MH, Moal VL, Atassi F, Berger CN, Servin AL. The *Lactobacillus plantarum* strain ACA-DC287 isolated from a Greek cheese demonstrates antagonistic activity in vitro and in vivo against *Salmonella enterica* serovar Typhimurium. *J Appl Microbiol* 2007;103(3):657-65.
14. Feleszko W, Jaworska J, Rha RD, Steinhausen S, Avagyan A, Jaudszus A, et al. Probiotic-induced suppression of allergic sensitization and airway inflammation is associated with an increase of T regulatory-dependent mechanisms in a murine model of asthma. *Clin Exp Allergy* 2007;37(4):498-505.
15. Gawronska A, Dziechciarz P, Horvath A, Szajewska H. A randomized double-blind placebo-controlled trial of *Lactobacillus* GG for abdominal pain disorders in children. *Aliment Pharmacol Ther* 2007;25(2):177-84.
16. Geier MS, Butler RN, Giffard PM, Howarth GS. *Lactobacillus fermentum* BR11, a potential new probiotic, alleviates symptoms of colitis induced by dextran sulfate sodium (DSS) in rats. *Int J Food Microbiol* 2007;114(3):267-74.
17. Gratz S, Wu QK, El-Nezami H, Juvonen RO, Mykkanen H, Turner PC. *Lactobacillus rhamnosus* strain GG reduces aflatoxin B1 transport, metabolism, and toxicity in Caco-2 Cells. *Appl Environ Microbiol* 2007;73(12):3958-64.
18. Gruber C, Wendt M, Sulser C, Lau S, Kulig M, Wahn U, et al. Randomized, placebo-controlled trial of *Lactobacillus rhamnosus* GG as treatment of atopic dermatitis in infancy. *Allergy* 2007;62(11):1270-6.
19. Honeycutt TC, El Khashab M, Wardrop RM, 3rd, McNeal-Trice K, Honeycutt AL, Christy CG, et al. Probiotic administration and the incidence of nosocomial infection in pediatric intensive care: a randomized placebo-controlled trial. *Pediatr Crit Care Med* 2007;8(5):452-8.
20. Kalliomaki M, Salminen S, Poussa T, Isolauri E. Probiotics during the first 7 years of life: A cumulative risk reduction of eczema in a randomized, placebo-controlled trial. *Journal Of Allergy And Clinical Immunology* 2007;119(4):1019-1021.
21. Kamil R, Geier MS, Butler RN, Howarth GS. *Lactobacillus rhamnosus* GG exacerbates intestinal ulceration in a model of indomethacin-induced enteropathy. *Dig Dis Sci* 2007;52(5):1247-52.
22. Kekkonen RA, Vasankari TJ, Vuorimaa T, Haahtela T, Julkunen I, Korpela R. The effect of probiotics on respiratory infections and gastrointestinal symptoms during training in marathon runners. *Int J Sport Nutr Exerc Metab* 2007;17(4):352-63.
23. Lam EK, Tai EK, Koo MW, Wong HP, Wu WK, Yu L, et al. Enhancement of gastric mucosal integrity by *Lactobacillus rhamnosus* GG. *Life Sci* 2007;80(23):2128-36.
24. Lam EK, Yu L, Wong HP, Wu WK, Shin VY, Tai EK, et al. Probiotic *Lactobacillus rhamnosus* GG enhances gastric ulcer healing in rats. *Eur J Pharmacol* 2007;565(1-3):171-9.

25. Larsen N, Nissen P, Willats WG. The effect of calcium ions on adhesion and competitive exclusion of *Lactobacillus* spp. and *E. coli* O138. *Int J Food Microbiol* 2007;114(1):113-9.
26. Lebeer S, De Keersmaecker SC, Verhoeven TL, Fadda AA, Marchal K, Vanderleyden J. Functional analysis of luxS in the probiotic strain *Lactobacillus rhamnosus* GG reveals a central metabolic role important for growth and biofilm formation. *J Bacteriol* 2007;189(3):860-71.
27. Lebeer S, Verhoeven TL, Perea Velez M, Vanderleyden J, De Keersmaecker SC. Impact of environmental and genetic factors on biofilm formation by the probiotic strain *Lactobacillus rhamnosus* GG. *Appl Environ Microbiol* 2007;73(21):6768-75.
28. Manley KJ, Fraenkel MB, Mayall BC, Power DA. Probiotic treatment of vancomycin-resistant enterococci: a randomised controlled trial. *Med J Aust* 2007;186(9):454-7.
29. Mauger CA, Butler RN, Geier MS, Tooley KL, Howarth GS. Probiotic effects on 5-fluorouracil-induced mucositis assessed by the sucrose breath test in rats. *Dig Dis Sci* 2007;52(3):612-9.
30. Moreira A, Kekkonen R, Korpela R, Delgado L, Haahtela T. Allergy in marathon runners and effect of *Lactobacillus* GG supplementation on allergic inflammatory markers. *Respir Med* 2007;101(6):1123-31.
31. Nilsson U, Nyman M. Carboxylic acids in the hindgut of rats fed highly soluble inulin and *Bifidobacterium lactis* (Bb-12), *Lactobacillus salivarius* (UCC500) or *Lactobacillus rhamnosus* (GG). *Scand J Food Nutr* 2007;51(1):13-21.
32. Nybom SM, Salminen SJ, Meriluoto JA. Removal of microcystin-LR by strains of metabolically active probiotic bacteria. *FEMS Microbiol Lett* 2007;270(1):27-33.
33. Osterlund P, Ruotsalainen T, Korpela R, Saxelin M, Ollus A, Valta P, et al. *Lactobacillus* supplementation for diarrhoea related to chemotherapy of colorectal cancer: a randomised study. *Br J Cancer* 2007;97(8):1028-34.
34. Pant N, Marcotte H, Brussow H, Svensson L, Hammarstrom L. Effective prophylaxis against rotavirus diarrhea using a combination of *Lactobacillus rhamnosus* GG and antibodies. *BMC Microbiol* 2007;7:86.
35. Perea Velez M, Verhoeven TL, Draing C, Von Aulock S, Pfitzenmaier M, Geyer A, et al. Functional analysis of D-alanylation of lipoteichoic acid in the probiotic strain *Lactobacillus rhamnosus* GG. *Appl Environ Microbiol* 2007;73(11):3595-604.
36. Russo F, Orlando A, Linsalata M, Cavallini A, Messa C. Effects of *Lactobacillus rhamnosus* GG on the cell growth and polyamine metabolism in HGC-27 human gastric cancer cells. *Nutr Cancer* 2007;59(1):106-14.
37. Sawada J, Morita H, Tanaka A, Salminen S, He F, Matsuda H. Ingestion of heat-treated *Lactobacillus rhamnosus* GG prevents development of atopic dermatitis in NC/Nga mice. *Clin Exp Allergy* 2007;37(2):296-303.
38. Szajewska H, Gawronska A, Wos H, Banaszkiwicz A, Grzybowska-Chlebowczyk U. Lack of effect of *Lactobacillus* GG in breast-fed infants with rectal bleeding: a pilot double-blind randomized controlled trial. *J Pediatr Gastroenterol Nutr* 2007;45(2):247-51.
39. Turner MS, Waldherr F, Loessner MJ, Giffard PM. Antimicrobial activity of lysostaphin and a *Listeria monocytogenes* bacteriophage endolysin produced and secreted by lactic acid bacteria. *Syst Appl Microbiol* 2007;30(1):58-67.
40. Vizoso Pinto MG, Schuster T, Briviba K, Watzl B, Holzapfel WH, Franz CM. Adhesive and chemokine stimulatory properties of potentially probiotic *Lactobacillus* strains. *J Food Prot* 2007;70(1):125-34.

41. Yan F, Cao H, Cover TL, Whitehead R, Washington MK, Polk DB. Soluble proteins produced by probiotic bacteria regulate intestinal epithelial cell survival and growth. *Gastroenterology* 2007;132(2):562-75.

2006 (38)

1. Almaas H, Holm H, Langsrud T, Flengersrud R, Vegarud GE. In vitro studies of the digestion of caprine whey proteins by human gastric and duodenal juice and the effects on selected microorganisms. *Br J Nutr* 2006;96(3):562-9.
2. Atassi F, Brassart D, Grob P, Graf F, Servin AL. Vaginal *Lactobacillus* isolates inhibit uropathogenic *Escherichia coli*. *FEMS Microbiol Lett* 2006;257(1): 132-8.
3. Briand V, Buffet P, Genty S, Lacombe K, Godineau N, Salomon J, et al. Absence of efficacy of nonviable *Lactobacillus acidophilus* for the prevention of traveler's diarrhea: a randomized, double-blind, controlled study. *Clin Infect Dis* 2006;43(9):1170-5.
4. Brouwer ML, Wolt-Plompen SA, Dubois AE, van der Heide S, Jansen DF, Hoijer MA, et al. No effects of probiotics on atopic dermatitis in infancy: a randomized placebo-controlled trial. *Clin Exp Allergy* 2006;36(7):899-906.
5. Cardona ME, Norin E, Midtvedt T. b-Glucuronidase activity in germ-free, monoassociated and conventional mice. *Microbiol Ecol Health Dis* 2006;18:30-1.
6. Collado MC, Jalonen L, Meriluoto J, Salminen S. Protection mechanism of probiotic combination against human pathogens: in vitro adhesion to human intestinal mucus. *Asia Pacific Journal Of Clinical Nutrition* 2006;15(4):570-575.
7. De Keersmaecker SC, Braeken K, Verhoeven TL, Perea Velez M, Lebeer S, Vanderleyden J, et al. Flow cytometric testing of green fluorescent protein-tagged *Lactobacillus rhamnosus* GG for response to defensins. *Appl Environ Microbiol* 2006;72(7):4923-30.
8. De Keersmaecker SC, Verhoeven TL, Desair J, Marchal K, Vanderleyden J, Nagy I. Strong antimicrobial activity of *Lactobacillus rhamnosus* GG against *Salmonella typhimurium* is due to accumulation of lactic acid. *FEMS Microbiol Lett* 2006;259(1):89-96.
9. Ewaschuk JB, Zello GA, Naylor JM. *Lactobacillus* GG does not affect D-lactic acidosis in diarrheic calves, in a clinical setting. *J Vet Intern Med* 2006;20(3):614-9.
10. Folster-Holst R, Muller F, Schnopp N, Abeck D, Kreiselmair I, Lenz T, et al. Prospective, randomized controlled trial on *Lactobacillus rhamnosus* in infants with moderate to severe atopic dermatitis. *Br J Dermatol* 2006;155(6):1256-61.
11. Gratz S, Taubel M, Juvonen RO, Viluksela M, Turner PC, Mykkanen H, et al. *Lactobacillus rhamnosus* strain GG modulates intestinal absorption, fecal excretion, and toxicity of aflatoxin B(1) in rats. *Appl Environ Microbiol* 2006;72(11):7398-400.
12. Gueimonde M, Kalliomaki M, Isolauri E, Salminen S. Probiotic intervention in neonates - will permanent colonization ensue? *J Pediatr Gastroenterol Nutr* 2006;42(5):604-6.
13. Gueimonde M, Sakata S, Kalliomaki M, Isolauri E, Benno Y, Salminen S. Effect of maternal consumption of *Lactobacillus* GG on transfer and establishment of fecal bifidobacterial microbiota in neonates. *J Pediatr Gastroenterol Nutr* 2006;42(2):166-70.

14. Hongisto SM, Paajanen L, Saxelin M, Korpela R. A combination of fibre-rich rye bread and yoghurt containing *Lactobacillus* GG improves bowel function in women with self-reported constipation. *Eur J Clin Nutr* 2006;60(3):319-24.
15. Hutt P, Shchepetova J, Loivukene K, Kullisaar T, Mikelsaar M. Antagonistic activity of probiotic lactobacilli and bifidobacteria against entero- and uropathogens. *J Appl Microbiol* 2006;100(6):1324-32.
16. Kawase M, He F, Kubota A, Hata JY, Kobayakawa S, Hiramatsu M. Inhibitory effect of *Lactobacillus gasseri* TMC0356 and *Lactobacillus* GG on enhanced vascular permeability of nasal mucosa in experimental allergic rhinitis of rats. *Biosci Biotechnol Biochem* 2006;70(12):3025-30.
17. Kim SO, Sheikh HI, Ha SD, Martins A, Reid G. G-CSF-mediated inhibition of JNK is a key mechanism for *Lactobacillus rhamnosus*-induced suppression of TNF production in macrophages. *Cell Microbiol* 2006;8(12):1958-71.
18. Lesniewska V, Rowland I, Cani PD, Neyrinck AM, Delzenne NM, Naughton PJ. Effect on components of the intestinal microflora and plasma neuropeptide levels of feeding *Lactobacillus delbrueckii*, *Bifidobacterium lactis*, and inulin to adult and elderly rats. *Appl Environ Microbiol* 2006;72(10):6533-8.
19. Makras L, Triantafyllou V, Fayol-Messaoudi D, Adriany T, Zoumpopoulou G, Tsakalidou E, et al. Kinetic analysis of the antibacterial activity of probiotic lactobacilli towards *Salmonella enterica* serovar Typhimurium reveals a role for lactic acid and other inhibitory compounds. *Res Microbiol* 2006;157(3):241-7.
20. Manzoni P, Mostert M, Leonessa ML, Priolo C, Farina D, Monetti C, et al. Oral supplementation with *Lactobacillus casei* subspecies *rhamnosus* prevents enteric colonization by *Candida* species in preterm neonates: a randomized study. *Clin Infect Dis* 2006;42(12):1735-42.
21. Maukonen J, Alakomi H-L, Nohynek L, Hallamaa K, Leppämäki S, Mättö J, et al. Suitability of the fluorescent techniques for the enumeration of probiotic bacteria in commercial non-dairy drinks and in pharmaceutical products. *Food Res Int* 2006;39:22-32.
22. Pultz NJ, Vesterlund S, Ouwehand AC, Donskey CJ. Adhesion of vancomycin-resistant *enterococcus* to human intestinal mucus. *Curr Microbiol* 2006;52(3):221-4.
23. Rautava S, Arvilommi H, Isolauri E. Specific probiotics in enhancing maturation of IgA responses in formula-fed infants. *Pediatr Res* 2006;60(2):221-4.
24. Rinne M, Kalliomaki M, Salminen S, Isolauri E. Probiotic intervention in the first months of life: short-term effects on gastrointestinal symptoms and long-term effects on gut microbiota. *J Pediatr Gastroenterol Nutr* 2006;43(2):200-5.
25. Roselli M, Finamore A, Britti MS, Mengheri E. Probiotic bacteria *Bifidobacterium animalis* MB5 and *Lactobacillus rhamnosus* GG protect intestinal Caco-2 cells from the inflammation-associated response induced by enterotoxigenic *Escherichia coli* K88. *Br J Nutr* 2006;95(6):1177-84.
26. Ruas-Madiedo P, Gueimonde M, de los Reyes-Gavilan CG, Salminen S. Short communication: effect of exopolysaccharide isolated from "viiili" on the adhesion of probiotics and pathogens to intestinal mucus. *J Dairy Sci* 2006;89(7):2355-8.
27. Ruas-Madiedo P, Gueimonde M, Margolles A, de los Reyes-Gavilan CG, Salminen S. Exopolysaccharides produced by probiotic strains modify the adhesion of probiotics and enteropathogens to human intestinal mucus. *J Food Prot* 2006;69(8):2011-5.
28. Saarela M, Virkajarvi I, Nohynek L, Vaari A, Matto J. Fibres as carriers for *Lactobacillus rhamnosus* during freeze-drying and storage in apple juice and chocolate-coated breakfast cereals. *Int J Food Microbiol* 2006;112(2):171-178.

29. Sullivan A, Nord CE. Probiotic lactobacilli and bacteraemia in Stockholm. *Scand J Infect Dis* 2006;38(5):327-31.
30. Szymanski H, Pejcz J, Jawien M, Chmielarczyk A, Strus M, Heczko PB. Treatment of acute infectious diarrhoea in infants and children with a mixture of three *Lactobacillus rhamnosus* strains--a randomized, double-blind, placebo-controlled trial. *Aliment Pharmacol Ther* 2006;23(2):247-53.
31. Tao Y, Drabik KA, Waypa TS, Musch MW, Alverdy JC, Schneewind O, et al. Soluble factors from *Lactobacillus* GG activate MAPKs and induce cytoprotective heat shock proteins in intestinal epithelial cells. *Am J Physiol Cell Physiol* 2006;290(4):C1018-30.
32. Vancanneyt M, Huys G, Lefebvre K, Vankerckhoven V, Goossens H, Swings J. Intraspecific genotypic characterization of *Lactobacillus rhamnosus* strains intended for probiotic use and isolates of human origin. *Appl Environ Microbiol* 2006;72(8):5376-5383.
33. Vendt N, Grunberg H, Tuure T, Malminiemi O, Wuolijoki E, Tillmann V, et al. Growth during the first 6 months of life in infants using formula enriched with *Lactobacillus rhamnosus* GG: double-blind, randomized trial. *J Hum Nutr Diet* 2006;19(1):51-8.
34. Vesterlund S, Karp M, Salminen S, Ouwehand AC. *Staphylococcus aureus* adheres to human intestinal mucus but can be displaced by certain lactic acid bacteria. *Microbiology* 2006;152(Pt 6):1819-26.
35. Wultanska D, Pituch H, Obuch-Woszczatynski P, Meisel-Mikolajczyk F, Luczak M. Influence of selected *Lactobacillus* sp. on *Clostridium difficile* strains with different toxigenicity profile. *Med Dosw Mikrobiol* 2006;58(2):127-33.
36. Yli-Knuuttila H, Snall J, Kari K, Meurman JH. Colonization of *Lactobacillus rhamnosus* GG in the oral cavity. *Oral Microbiol Immunol* 2006;21(2):129-31.
37. Zhang L, Li N, des Robert C, Fang M, Liboni K, McMahon R, et al. *Lactobacillus rhamnosus* GG decreases lipopolysaccharide-induced systemic inflammation in a gastrostomy-fed infant rat model. *J Pediatr Gastroenterol Nutr* 2006;42(5):545-52.
38. Zocco MA, dal Verme LZ, Cremonini F, Piscaglia AC, Nista EC, Candelli M, et al. Efficacy of *Lactobacillus* GG in maintaining remission of ulcerative colitis. *Aliment Pharmacol Ther* 2006;23(11):1567-74.

2005 (40)

1. Alamprese C, Foschino R, Rossi M, Pompei C, Corti S. Effects of *Lactobacillus rhamnosus* GG addition in ice cream. *Int J Dairy Technol* 2005;58(4):200-206.
2. Ananta E, Voigt D, Zenker M, Heinz V, Knorr D. Cellular injuries upon exposure of *Escherichia coli* and *Lactobacillus rhamnosus* to high-intensity ultrasound. *J Appl Microbiol* 2005;99(2):271-8.
3. Banaszkiwicz A, Szajewska H. Ineffectiveness of *Lactobacillus* GG as an adjunct to lactulose for the treatment of constipation in children: a double-blind, placebo-controlled randomized trial. *J Pediatr* 2005;146(3):364-9.
4. Bausserman M, Michail S. The use of *Lactobacillus* GG in irritable bowel syndrome in children: a double-blind randomized control trial. *J Pediatr* 2005;147(2):197-201.

5. Bousvaros A, Guandalini S, Baldassano RN, Botelho C, Evans J, Ferry GD, et al. A randomized, double-blind trial of *Lactobacillus* GG versus placebo in addition to standard maintenance therapy for children with Crohn's disease. *Inflamm Bowel Dis* 2005;11(9):833-9.
6. Commane DM, Shortt CT, Silvi S, Cresci A, Hughes RM, Rowland IR. Effects of fermentation products of pro- and prebiotics on trans-epithelial electrical resistance in an in vitro model of the colon. *Nutr Cancer* 2005;51(1):102-9.
7. Corcoran BM, Stanton C, Fitzgerald GF, Ross RP. Survival of probiotic lactobacilli in acidic environments is enhanced in the presence of metabolizable sugars. *Appl Environ Microbiol* 2005;71(6):3060-7.
8. De Groote MA, Frank DN, Dowell E, Glode MP, Pace NR. *Lactobacillus rhamnosus* GG bacteremia associated with probiotic use in a child with short gut syndrome. *Pediatr Infect Dis J* 2005;24(3):278-80.
9. De Keersmaecker SC, Marchal K, Verhoeven TL, Engelen K, Vanderleyden J, Detweiler CS. Microarray analysis and motif detection reveal new targets of the *Salmonella enterica* serovar Typhimurium HilA regulatory protein, including hilA itself. *J Bacteriol* 2005;187(13):4381-91.
10. de Vrese M, Rautenberg P, Laue C, Koopmans M, Herremans T, Schrezenmeir J. Probiotic bacteria stimulate virus-specific neutralizing antibodies following a booster polio vaccination. *Eur J Nutr* 2005;44(7):406-13.
11. Devillard E, Burton JP, Reid G. Complexity of vaginal microflora as analyzed by PCR denaturing gradient gel electrophoresis in a patient with recurrent bacterial vaginosis. *Infect Dis Obstet Gynecol* 2005;13(1):25-31.
12. Di Caro S, Tao H, Grillo A, Elia C, Gasbarrini G, Sepulveda AR, et al. Effects of *Lactobacillus* GG on genes expression pattern in small bowel mucosa. *Dig Liver Dis* 2005;37(5):320-9.
13. Fayol-Messaoudi D, Berger CN, Coconnier-Polter MH, Lievin-Le Moal V, Servin AL. pH-, Lactic acid-, and non-lactic acid-dependent activities of probiotic Lactobacilli against *Salmonella enterica* Serovar Typhimurium. *Appl Environ Microbiol* 2005;71(10):6008-13.
14. Galpin L, Manary MJ, Fleming K, Ou CN, Ashorn P, Shulman RJ. Effect of *Lactobacillus* GG on intestinal integrity in Malawian children at risk of tropical enteropathy. *Am J Clin Nutr* 2005;82(5):1040-5.
15. He F, Morita H, Kubota A, Ouwehand AC, Hosoda M, Hiramatsu M, et al. Effect of orally administered non-viable *Lactobacillus* cells on murine humoral immune responses. *Microbiol Immunol* 2005;49(11):993-7.
16. Iliev ID, Kitazawa H, Shimosato T, Katoh S, Morita H, He F, et al. Strong immunostimulation in murine immune cells by *Lactobacillus rhamnosus* GG DNA containing novel oligodeoxynucleotide pattern. *Cell Microbiol* 2005;7(3):403-14.
17. Laitinen K, Kalliomaki M, Poussa T, Lagstrom H, Isolauri E. Evaluation of diet and growth in children with and without atopic eczema: follow-up study from birth to 4 years. *Br J Nutr* 2005;94(4):565-74.
18. Lan JG, Cruickshank SM, Singh JC, Farrar M, Lodge JP, Felsburg PJ, et al. Different cytokine response of primary colonic epithelial cells to commensal bacteria. *World J Gastroenterol* 2005;11(22):3375-84.
19. Land MH, Rouster-Stevens K, Woods CR, Cannon ML, Cnota J, Shetty AK. *Lactobacillus* sepsis associated with probiotic therapy. *Pediatrics* 2005;115(1):178-81.
20. Lavermicocca P, Valerio F, Lonigro SL, De Angelis M, Morelli L, Callegari ML, et al. Study of adhesion and survival of lactobacilli and bifidobacteria on table olives with the aim of formulating a new probiotic food. *Appl Environ Microbiol* 2005;71(8):4233-40.

21. Lee J, Hwang KT, Heo MS, Lee JH, Park KY. Resistance of *Lactobacillus plantarum* KCTC 3099 from Kimchi to oxidative stress. *J Med Food* 2005;8(3):299-304.
22. Luckow T, Sheehan V, Delahunty C, Fitzgerlad G. Determining the odor and flavor characteristics of probiotic, health-promoting ingredients and the effects of repeated exposure on consumer acceptance. *J Food Sci* 2005;70(1):S53-9.
23. Mainville I, Arcand Y, Farnworth ER. A dynamic model that simulates the human upper gastrointestinal tract for the study of probiotics. *Int J Food Microbiol* 2005;99(3):287-96.
24. Meriluoto J, Gueimonde M, Haskard CA, Spoof L, Sjøvall O, Salminen S. Removal of the cyanobacterial toxin microcystin-LR by human probiotics. *Toxicon* 2005;46(1):111-4.
25. Moreira JL, Mota RM, Horta MF, Teixeira SM, Neumann E, Nicoli JR, et al. Identification to the species level of *Lactobacillus* isolated in probiotic prospecting studies of human, animal or food origin by 16S-23S rRNA restriction profiling. *BMC Microbiol* 2005;5(1):15.
26. Myllyluoma E, Veijola L, Ahlroos T, Tynkkynen S, Kankuri E, Vapaatalo H, et al. Probiotic supplementation improves tolerance to *Helicobacter pylori* eradication therapy - a placebo-controlled, double-blind randomized pilot study. *Aliment Pharmacol Ther* 2005;21(10):1263-72.
27. Petschow BW, Figueroa R, Harris CL, Beck LB, Ziegler E, Goldin B. Effects of feeding an infant formula containing *Lactobacillus* GG on the colonization of the intestine: a dose-response study in healthy infants. *J Clin Gastroenterol* 2005;39(9):786-90.
28. Piotrowska M, Zakowska Z. The elimination of ochratoxin A by lactic acid bacteria strains. *Pol J Microbiol* 2005;54(4):279-86.
29. Rinne M, Kalliomaki M, Arvilommi H, Salminen S, Isolauri E. Effect of probiotics and breastfeeding on the *bifidobacterium* and *lactobacillus/enterococcus* microbiota and humoral immune responses. *J Pediatr* 2005;147(2):186-91.
30. Schillinger U, Guigas C, Holzapfel WH. In vitro adherence and other properties of lactobacilli used in probiotic yoghurt-like products. *International Dairy Journal* 2005;15(12):1289-1297.
31. Succi M, Tremonte P, Reale A, Sorrentino E, Grazia L, Pacifico S, et al. Bile salt and acid tolerance of *Lactobacillus rhamnosus* strains isolated from Parmigiano Reggiano cheese. *FEMS Microbiol Lett* 2005;244(1):129-37.
32. Van Loo J, Clune Y, Bennett M, Collins JK. The SYNCAN project: goals, set-up, first results and settings of the human intervention study. *Br J Nutr* 2005;93(Suppl 1):S91-8.
33. Vesterlund S, Paltta J, Karp M, Ouwehand AC. Measurement of bacterial adhesion-in vitro evaluation of different methods. *J Microbiol Methods* 2005;60(2):225-33.
34. Vesterlund S, Paltta J, Karp M, Ouwehand AC. Adhesion of bacteria to resected human colonic tissue: quantitative analysis of bacterial adhesion and viability. *Res Microbiol* 2005;156(2):238-44.
35. Viljanen M, Kuitunen M, Haahtela T, Juntunen-Backman K, Korpela R, Savilahti E. Probiotic effects on faecal inflammatory markers and on faecal IgA in food allergic atopic eczema/dermatitis syndrome infants. *Pediatr Allergy Immunol* 2005;16(1):65-71.
36. Viljanen M, Pohjavuori E, Haahtela T, Korpela R, Kuitunen M, Sarnesto A, et al. Induction of inflammation as a possible mechanism of probiotic effect in atopic eczema-dermatitis syndrome. *J Allergy Clin Immunol* 2005;115(6):1254-9.

37. Viljanen M, Savilahti E, Haahtela T, Juntunen-Backman K, Korpela R, Poussa T, et al. Probiotics in the treatment of atopic eczema/dermatitis syndrome in infants: a double-blind placebo-controlled trial. *Allergy* 2005;60(4):494-500.
38. Westermarck E, Skrzypczak T, Harmoinen J, Steiner JM, Ruaux CG, Williams DA, et al. Tylosin-responsive chronic diarrhea in dogs. *J Vet Intern Med* 2005;19(2):177-86.
39. Zhang L, Li N, Caicedo R, Neu J. Alive and dead *Lactobacillus rhamnosus* GG decrease tumor necrosis factor-alpha-induced interleukin-8 production in Caco-2 cells. *J Nutr* 2005;135(7):1752-6.
40. Zhou JS, Pillidge CJ, Gopal PK, Gill HS. Antibiotic susceptibility profiles of new probiotic *Lactobacillus* and *Bifidobacterium* strains. *Int J Food Microbiol* 2005;98(2):211-7.

2004 (39)

1. Ananta E, Birkeland S-E, Corcoran B, Fitzgerald G, Hinz S, Klijn A, et al. Processing effects on the nutritional advances of probiotics and probiotics. *Microbial Ecol Health Dis* 2004;16:113-24.
2. Ananta E, Knorr D. Evidence on the role of protein biosynthesis in the induction of heat tolerance of *Lactobacillus rhamnosus* GG by pressure pre-treatment. *Int J Food Microbiol* 2004;96(3):307-13.
3. Avonts L, Van Uytven E, De Vuyst L. Cell growth and bacteriocin production of probiotic *Lactobacillus* strains in different media. *Int Dairy J* 2004;14:947-55.
4. Baharav E, Mor F, Halpern M, Weinberger A. *Lactobacillus* GG bacteria ameliorate arthritis in Lewis rats. *J Nutr* 2004;134(8):1964-9.
5. Bruzzese E, Raia V, Gaudiello G, Polito G, Buccigrossi V, Formicola V, et al. Intestinal inflammation is a frequent feature of cystic fibrosis and is reduced by probiotic administration. *Aliment Pharmacol Ther* 2004;20(7):813-9.
6. Choi CH. Prophylactic effect of *Lactobacillus* GG in animal colitis and its effect on cytokine secretion and mucin gene expressions. *Korean J Gastroenterol* 2004;44(1):50-2.
7. Coeuret V, Gueguen M, Vernoux JP. Numbers and strains of lactobacilli in some probiotic products. *Int J Food Microbiol* 2004;97(2):147-56.
8. Corcoran BM, Ross RP, Fitzgerald GF, Stanton C. Comparative survival of probiotic lactobacilli spray-dried in the presence of prebiotic substances. *J Appl Microbiol* 2004;96(5):1024-39.
9. Edalat M, Mannervik B, Axelsson LG. Selective expression of detoxifying glutathione transferases in mouse colon: effect of experimental colitis and the presence of bacteria. *Histochem Cell Biol* 2004;122(2):151-9.
10. El-Nezami H, Polychronaki N, Lee YK, Haskard C, Juvonen R, Salminen S, et al. Chemical moieties and interactions involved in the binding of zearalenone to the surface of *Lactobacillus rhamnosus* strains GG. *J Agric Food Chem* 2004;52(14):4577-81.
11. Ewaschuk JB, Naylor JM, Chirino-Trejo M, Zello GA. *Lactobacillus rhamnosus* strain GG is a potential probiotic for calves. *Can J Vet Res* 2004;68(4):249-53.
12. Gerbitz A, Schultz M, Wilke A, Linde HJ, Scholmerich J, Andreesen R, et al. Probiotic effects on experimental graft-versus-host disease: let them eat yogurt. *Blood* 2004;103(11):4365-7.

13. Gosselink MP, Schouten WR, van Lieshout LM, Hop WC, Laman JD, Ruseler-van Embden JG. Delay of the first onset of pouchitis by oral intake of the probiotic strain *Lactobacillus rhamnosus* GG. *Dis Colon Rectum* 2004;47(6):876-84.
14. Gratz S, Mykkanen H, Ouwehand AC, Juvonen R, Salminen S, El-Nezami H. Intestinal mucus alters the ability of probiotic bacteria to bind aflatoxin B1 in vitro. *Appl Environ Microbiol* 2004;70(10):6306-8.
15. Gray HC, Foy TM, Becker BA, Knutsen AP. Rice-induced enterocolitis in an infant: TH1/TH2 cellular hypersensitivity and absent IgE reactivity. *Ann Allergy Asthma Immunol* 2004;93(6):601-5.
16. Helland MH, Wicklund T, Narvhus JA. Growth and metabolism of selected strains of probiotic bacteria in milk- and water-based cereal puddings. *Int Dairy J* 2004;14:957-65.
17. Helland MH, Wicklund T, Narvhus JA. Growth and metabolism of selected strains of probiotic bacteria, in maize porridge with added malted barley. *Int J Food Microbiol* 2004;91(3):305-13.
18. Ibrahim F, Ouwehand AC, Salminen SJ. Effect of temperature on in vitro adhesion of potential fish probiotics. *Microb Ecol Health Dis* 2004;16:222-7.
19. Klinder A, Forster A, Caderni G, Femia AP, Pool-Zobel BL. Fecal Water Genotoxicity Is Predictive of Tumor-Preventive Activities by Inulin-Like Oligofructoses, Probiotics (*Lactobacillus rhamnosus* and *Bifidobacterium lactis*), and Their Synbiotic Combination. *Nutr Cancer* 2004;49(2):144-55.
20. Korhonen R, Kosonen O, Korpela R, Moilanen E. The expression of COX2 protein induced by *Lactobacillus rhamnosus* GG, endotoxin and lipoteichoic acid in T84 epithelial cells. *Lett Appl Microbiol* 2004;39(1):19-24.
21. Kunz AN, Noel JM, Fairchok MP. Two cases of *Lactobacillus* bacteremia during probiotic treatment of short gut syndrome. *J Pediatr Gastroenterol Nutr* 2004;38(4):457-8.
22. Lahtinen SJ, Haskard CA, Ouwehand AC, Salminen SJ, Ahokas JT. Binding of aflatoxin B1 to cell wall components of *Lactobacillus rhamnosus* strain GG. *Food Addit Contam* 2004;21(2):158-64.
23. Moon G, Myung SJ, Jeong JY, Yang SK, Cho YK, Lee SM, et al. Prophylactic effect of *Lactobacillus* GG in animal colitis and its effect on cytokine secretion and mucin gene expressions. *Korean J Gastroenterol* 2004;43(4):234-45.
24. Ouwehand AC, Parhiala R, Salminen S, Rantala A, Huhtinen H, Sarparanta H, et al. Influence of the endogenous mucousal microbiota on the adhesion of probiotic bacteria in vitro. *Microbial Ecol. Health Dis.* 2004;16:202-204.
25. Ouwehand AC, Saxelin M, Salminen S. Phenotypic differences between commercial *Lactobacillus rhamnosus* GG and *L. rhamnosus* strains recovered from blood. *Clin Infect Dis* 2004;39(12):1858-60.
26. Pickerd N, Tuthill D. Resolution of cryptosporidiosis with probiotic treatment. *Postgrad Med J* 2004;80(940):112-3.
27. Pohjavuori E, Viljanen M, Korpela R, Kuitunen M, Tiittanen M, Vaarala O, et al. *Lactobacillus* GG effect in increasing IFN-gamma production in infants with cow's milk allergy. *J Allergy Clin Immunol* 2004;114(1):131-6.
28. Roller M, Pietro Femia A, Caderni G, Rechkemmer G, Watzl B. Intestinal immunity of rats with colon cancer is modulated by oligofructose-enriched inulin combined with *Lactobacillus rhamnosus* and *Bifidobacterium lactis*. *Br J Nutr* 2004;92(6):931-8.

29. Roller M, Rechkemmer G, Watzl B. Prebiotic inulin enriched with oligofructose in combination with the probiotics *Lactobacillus rhamnosus* and *Bifidobacterium lactis* modulates intestinal immune functions in rats. *J Nutr* 2004;134(1):153-6.
30. Salazar-Lindo E, Miranda-Langschwager P, Campos-Sanchez M, Chea-Woo E, Sack RB. *Lactobacillus casei* strain GG in the treatment of infants with acute watery diarrhea: a randomized, double-blind, placebo controlled clinical trial. *BMC Pediatr* 2004;4:18.
31. Salminen MK, Rautelin H, Tynkkynen S, Poussa T, Saxelin M, Valtonen V, et al. *Lactobacillus* bacteremia, clinical significance, and patient outcome, with special focus on probiotic *L. rhamnosus* GG. *Clin Infect Dis* 2004;38(1):62-9.
32. Salminen MK, Tynkkynen S, Rautelin H, Poussa T, Saxelin M, Ristola M, et al. The efficacy and safety of probiotic *Lactobacillus rhamnosus* GG on prolonged, noninfectious diarrhea in HIV Patients on antiretroviral therapy: a randomized, placebo-controlled, crossover study. *HIV Clin Trials* 2004;5(4):183-91.
33. Schultz M, Gottl C, Young RJ, Iwen P, Vanderhoof JA. Administration of oral probiotic bacteria to pregnant women causes temporary infantile colonization. *J Pediatr Gastroenterol Nutr* 2004;38(3):293-7.
34. Schultz M, Timmer A, Herfarth HH, Sartor RB, Vanderhoof JA, Rath HC. *Lactobacillus* GG in inducing and maintaining remission of Crohn's disease. *BMC Gastroenterol* 2004;4:5.
35. Sherman MP, Bennett SH, Hwang FF, Yu C. Neonatal small bowel epithelia: enhancing anti-bacterial defense with lactoferrin and *Lactobacillus* GG. *Biometals* 2004;17(3):285-9.
36. Tabuchi M, Tamura A, Yamada N, Ishida T, Hosoda M, Hosono A. Hypocholesterolemic effects of viable and heat-sterilized cells of *Lactobacillus* GG in rats fed a high-cholesterol diet. *Milchwissenschaft* 2004;59(5/6):249-53.
37. Turner MS, Hafner LM, Walsh T, Giffard PM. Identification and characterization of the novel LysM domain-containing surface protein Sep from *Lactobacillus fermentum* BR11 and its use as a peptide fusion partner in *Lactobacillus* and *Lactococcus*. *Appl Environ Microbiol* 2004;70(6):3673-80.
38. Valerio F, Lavermicocca P, Pascale M, Visconti A. Production of phenyllactic acid by lactic acid bacteria: an approach to the selection of strains contributing to food quality and preservation. *FEMS Microbiol Lett* 2004;233(2):289-95.
39. Veckman V, Miettinen M, Pirhonen J, Siren J, Matikainen S, Julkunen I. *Streptococcus pyogenes* and *Lactobacillus rhamnosus* differentially induce maturation and production of Th1-type cytokines and chemokines in human monocyte-derived dendritic cells. *J Leukoc Biol* 2004;75(5):764-71.

2003 (37)

1. Agarwal R, Sharma N, Chaudhry R, Deorari A, Paul VK, Gewolb IH, et al. Effects of oral *Lactobacillus* GG on enteric microflora in low-birth-weight neonates. *J Pediatr Gastroenterol Nutr* 2003;36(3):397-402.
2. Asahara T, Takahashi M, Nomoto K, Takayama H, Onoue M, Morotomi M, et al. Assessment of safety of *lactobacillus* strains based on resistance to host innate defense mechanisms. *Clin Diagn Lab Immunol* 2003;10(1):169-73.
3. Brandt K, Alatossava T. Specific identification of certain probiotic *Lactobacillus rhamnosus* strains with PCR primers based on phage-related sequences. *Int J Food Microbiol* 2003;84(2):189-96.

4. Caderni G, Femia AP, Giannini A, Favuzza A, Luceri C, Salvadori M, et al. Identification of mucin-depleted foci in the unsectioned colon of azoxymethane-treated rats: correlation with carcinogenesis. *Cancer Res* 2003;63(10):2388-92.
5. Colodner R, Edelstein H, Chazan B, Raz R. Vaginal colonization by orally administered *Lactobacillus rhamnosus* GG. *Isr Med Assoc J* 2003;5(11):767-9.
6. Costa-Ribeiro H, Ribeiro TC, Mattos AP, Valois SS, Neri DA, Almeida P, et al. Limitations of probiotic therapy in acute, severe dehydrating diarrhea. *J Pediatr Gastroenterol Nutr* 2003;36(1):112-5.
7. Crittenden RG, Martinez NR, Playne MJ. Synthesis and utilisation of folate by yoghurt starter cultures and probiotic bacteria. *Int J Food Microbiol* 2003;80(3):217-22.
8. Dieleman LA, Goerres MS, Arends A, Sprengers D, Torrice C, Hoentjen F, et al. *Lactobacillus* GG prevents recurrence of colitis in HLA-B27 transgenic rats after antibiotic treatment. *Gut* 2003;52(3):370-6.
9. Gluck U, Gebbers JO. Ingested probiotics reduce nasal colonization with pathogenic bacteria (*Staphylococcus aureus*, *Streptococcus pneumoniae*, and beta-hemolytic streptococci). *Am J Clin Nutr* 2003;77(2):517-20.
10. Halttunen T, Kankaanpää P, Tahvonen R, Salminen S, Ouwehand AC. Cadmium removal by lactic acid bacteria. *Bioscience Microflora* 2003;22(3):93-97.
11. Hatakka K, Martio J, Korpela M, Herranen M, Poussa T, Laasanen T, et al. Effects of probiotic therapy on the activity and activation of mild rheumatoid arthritis - a pilot study. *Scand J Rheumatol* 2003;32(4):211-5.
12. Hirano J, Yoshida T, Sugiyama T, Koide N, Mori I, Yokochi T. The effect of *Lactobacillus rhamnosus* on enterohemorrhagic *Escherichia coli* infection of human intestinal cells in vitro. *Microbiol Immunol* 2003;47(6):405-9.
13. Kalliomaki M, Salminen S, Poussa T, Arvilommi H, Isolauri E. Probiotics and prevention of atopic disease: 4-year follow-up of a randomised placebo-controlled trial. *Lancet* 2003;361(9372):1869-71.
14. Kirjavainen PV, Salminen SJ, Isolauri E. Probiotic bacteria in the management of atopic disease: underscoring the importance of viability. *J Pediatr Gastroenterol Nutr* 2003;36(2):223-7.
15. Kontiokari T, Laitinen J, Jarvi L, Pokka T, Sundqvist K, Uhari M. Dietary factors protecting women from urinary tract infection. *Am J Clin Nutr* 2003;77(3):600-4.
16. Kuisma J, Mentula S, Jarvinen H, Kahri A, Saxelin M, Farkkila M. Effect of *Lactobacillus rhamnosus* GG on ileal pouch inflammation and microbial flora. *Aliment Pharmacol Ther* 2003;17(4):509-15.
17. Lee YK, El-Nezami H, Haskard CA, Gratz S, Puong KY, Salminen S, et al. Kinetics of adsorption and desorption of aflatoxin B1 by viable and nonviable bacteria. *J Food Prot* 2003;66(3):426-30.
18. Lee YK, Puong KY, Ouwehand AC, Salminen S. Displacement of bacterial pathogens from mucus and Caco-2 cell surface by lactobacilli. *J Med Microbiol* 2003;52(Pt 10):925-30.
19. Mack DR, Ahrne S, Hyde L, Wei S, Hollingsworth MA. Extracellular MUC3 mucin secretion follows adherence of *Lactobacillus* strains to intestinal epithelial cells in vitro. *Gut* 2003;52(6):827-33.
20. Mack DR, McDonald TL, Larson MA, Wei S, Weber A. The Conserved TFLK Motif of Mammary-Associated Serum Amyloid A3 Is Responsible for Up-regulation of Intestinal MUC3 Mucin Expression In Vitro. *Pediatr Res* 2003;53(1):137-142.

21. Marini A, Negretti F, Boehm G, Li Destri M, Clerici-Bagozzi D, Mosca F, et al. Pro- and pre-biotics administration in preterm infants: colonization and influence on faecal flora. *Acta Paediatr Suppl* 2003;91(441):80-1.
22. Miceli E, Missanelli A, Mazzocchi S, di Stefano M, Gorazza GR. Efficacia del *Lactobacillus* GG nel trattamento del gonfiore addominale funzionale. *Argomenti di Gastroenterologia Clinica* 2003;16:71-5.
23. Nikoskelainen S, Ouwehand AC, Bylund G, Salminen S, Lilius EM. Immune enhancement in rainbow trout (*Oncorhynchus mykiss*) by potential probiotic bacteria (*Lactobacillus rhamnosus*). *Fish Shellfish Immunol* 2003;15(5):443-52.
24. Ostlie HM, Helland MH, Narvhus JA. Growth and metabolism of selected strains of probiotic bacteria in milk. *Int J Food Microbiol* 2003;87(1-2):17-27.
25. Ouwehand AC, Salminen S, Roberts PJ, Ovaska J, Salminen E. Disease-dependent adhesion of lactic acid bacteria to the human intestinal mucosa. *Clin Diagn Lab Immunol* 2003;10(4):643-6.
26. Pena JA, Versalovic J. *Lactobacillus rhamnosus* GG decreases TNF-alpha production in lipopolysaccharide-activated murine macrophages by a contact-independent mechanism. *Cell Microbiol* 2003;5(4):277-85.
27. Rinkinen M, Jalava K, Westermarck E, Salminen S, Ouwehand AC. Interaction between probiotic lactic acid bacteria and canine enteric pathogens: a risk factor for intestinal *Enterococcus faecium* colonization? *Vet Microbiol* 2003;92(1-2):111-9.
28. Rinkinen M, Westermarck E, Salminen S, Ouwehand AC. Absence of host specificity for in vitro adhesion of probiotic lactic acid bacteria to intestinal mucus. *Vet Microbiol* 2003;97(1-2):55-61.
29. Schultz M, Linde HJ, Lehn N, Zimmermann K, Grossmann J, Falk W, et al. Immunomodulatory consequences of oral administration of *Lactobacillus rhamnosus* strain GG in healthy volunteers. *J Dairy Res* 2003;70(2):165-73.
30. Styriak I, Nemcova R, Chang YH, Ljungh A. Binding of extracellular matrix molecules by probiotic bacteria. *Lett Appl Microbiol* 2003;37(4):329-33.
31. Tabuchi M, Ozaki M, Tamura A, Yamada N, Ishida T, Hosoda M, et al. Antidiabetic effect of *Lactobacillus* GG in streptozotocin-induced diabetic rats. *Biosci Biotechnol Biochem* 2003;67(6):1421-4.
32. Temmerman R, Pot B, Huys G, Swings J. Identification and antibiotic susceptibility of bacterial isolates from probiotic products. *Int J Food Microbiol* 2003;81(1):1-10.
33. Temmerman R, Scheirlinck I, Huys G, Swings J. Culture-independent analysis of probiotic products by denaturing gradient gel electrophoresis. *Appl Environ Microbiol* 2003;69(1):220-6.
34. Veckman V, Miettinen M, Matikainen S, Lande R, Giacomini E, Coccia EM, et al. Lactobacilli and streptococci induce inflammatory chemokine production in human macrophages that stimulates Th1 cell chemotaxis. *J Leukoc Biol* 2003;74(3):395-402.
35. Wallace TD, Bradley S, Buckley ND, Green-Johnson JM. Interactions of lactic acid bacteria with human intestinal epithelial cells: effects on cytokine production. *J Food Prot* 2003;66(3):466-72.
36. Weese JS, Anderson ME, Lowe A, Monteith GJ. Preliminary investigation of the probiotic potential of *Lactobacillus rhamnosus* strain GG in horses: fecal recovery following oral administration and safety. *Can Vet J* 2003;44(4):299-302.
37. Wiest R, Chen F, Cadelina G, Groszmann RJ, Garcia-Tsao G. Effect of *Lactobacillus*-fermented diets on bacterial translocation and intestinal flora in experimental prehepatic portal hypertension. *Dig Dis Sci* 2003;48(6):1136-41.

2002 (38)

1. Ahola AJ, Yli-Knuuttila H, Suomalainen T, Poussa T, Ahlstrom A, Meurman JH, et al. Short-term consumption of probiotic-containing cheese and its effect on dental caries risk factors. *Arch Oral Biol* 2002;47(11):799-804.
2. Banasaz M, Norin E, Holma R, Midtvedt T. Increased enterocyte production in gnotobiotic rats mono-associated with *Lactobacillus rhamnosus* GG. *Appl Environ Microbiol* 2002;68(6):3031-4.
3. Bauer TM, Fernandez J, Navasa M, Vila J, Rodes J. Failure of *Lactobacillus* spp. to prevent bacterial translocation in a rat model of experimental cirrhosis. *J Hepatol* 2002;36(4):501-6.
4. Cardona ME, de V. Vanay V, Midtvedt T, Norin E. Effect of probiotics in five biochemical microflora-associated characteristics, *in vitro* and *in vivo*. *Scand J Nutr* 2002;46(2):73-79.
5. Cremonini F, Di Caro S, Covino M, Armuzzi A, Gabrielli M, Santarelli L, et al. Effect of different probiotic preparations on anti-helicobacter pylori therapy-related side effects: a parallel group, triple blind, placebo-controlled study. *Am J Gastroenterol* 2002;97(11):2744-9.
6. Dani C, Biadaoli R, Bertini G, Martelli E, Rubaltelli FF. Probiotics feeding in prevention of urinary tract infection, bacterial sepsis and necrotizing enterocolitis in preterm infants. A prospective double-blind study. *Biol Neonate* 2002;82(2):103-8.
7. De Léseleuc L, Chabot S, Cloutier D, Roy D, Lacroix M, Oth D. Quantitative aspects in pro-inflammatory cytokines and gamma interferon (IFN- γ) production capacities among various lactic acid bacteria (LAB). *Milchwissenschaft* 2002;57(6):316-319.
8. El-Nezami H, Polychronaki N, Salminen S, Mykkanen H. Binding rather than metabolism may explain the interaction of two food-Grade *Lactobacillus* strains with zearalenone and its derivative (')alpha-earalenol. *Appl Environ Microbiol* 2002;68(7):3545-9.
9. El-Nezami HS, Chrevatidis A, Auriola S, Salminen S, Mykkanen H. Removal of common *Fusarium* toxins *in vitro* by strains of *Lactobacillus* and *Propionibacterium*. *Food Addit Contam* 2002;19(7):680-6.
10. Femia AP, Luceri C, Dolara P, Giannini A, Biggeri A, Salvadori M, et al. Antitumorogenic activity of the prebiotic inulin enriched with oligofructose in combination with the probiotics *Lactobacillus rhamnosus* and *Bifidobacterium lactis* on azoxymethane-induced colon carcinogenesis in rats. *Carcinogenesis* 2002;23(11):1953-60.
11. Gardiner GE, Heinemann C, Bruce AW, Beuerman D, Reid G. Persistence of *Lactobacillus fermentum* RC-14 and *Lactobacillus rhamnosus* GR-1 but not *L. rhamnosus* GG in the human vagina as demonstrated by randomly amplified polymorphic DNA. *Clin Diagn Lab Immunol* 2002;9(1):92-6.
12. Helin T, Haahtela S, Haahtela T. No effect of oral treatment with an intestinal bacterial strain, *Lactobacillus rhamnosus* (ATCC 53103), on birch-pollen allergy: a placebo-controlled double-blind study. *Allergy* 2002;57(3):243-6.
13. Jasinski C, Tanzi MN, Schelotto F, Varela G, Zanetta E, Acuña AM, et al. Efecto del *Lactobacillus Casei* administrado en el suero de rehidratación oral, en el tratamiento de la enfermedad diarreica aguda. Efficacy of *Lactobacillus* GG in oral rehydration solution. *Pediatríka* 2002;22(7):231-43.
14. Kankaanpaa PE, Yang B, Kallio HP, Isolauri E, Salminen SJ. Influence of probiotic supplemented infant formula on composition of plasma lipids in atopic infants. *J Nutr Biochem* 2002;13(6):364-369.

15. Korhonen R, Korpela R, Moilanen E. Signalling mechanisms involved in the induction of inducible nitric oxide synthase by *Lactobacillus rhamnosus* GG, endotoxin, and lipoteichoic acid. *Inflammation* 2002;26(5):207-14.
16. Lahtinen S, Saarinen NM, Ämmälä J, Mäkelä SI, Salminen S, Ouwehand AC. Interactions between lignans and probiotics. *Microbiol Ecol Health Dis* 2002;14:106-9.
17. Lammers KM, Helwig U, Swennen E, Rizzello F, Venturi A, Caramelli E, et al. Effect of probiotic strains on interleukin 8 production by HT29/19A cells. *Am J Gastroenterol* 2002;97(5):1182-6.
18. Landersjö C, Yang Z, Huttunen E, Widmalm G. Structural studies of the exopolysaccharide produced by *Lactobacillus rhamnosus* strain GG (ATCC 53103). *Biomacromolecules* 2002;3(4):880-4.
19. Lee YK, Puong KY. Competition for adhesion between probiotics and human gastrointestinal pathogens in the presence of carbohydrate. *Br J Nutr* 2002;88 Suppl 1:S101-8.
20. Lim BK, Mahendran R, Lee YK, Bay BH. Chemopreventive effect of *Lactobacillus rhamnosus* on growth of a subcutaneously implanted bladder cancer cell line in the mouse. *Jpn J Cancer Res* 2002;93(1):36-41.
21. Mastretta E, Longo P, Laccisaglia A, Balbo L, Russo R, Mazzaccara A, et al. Effect of *Lactobacillus* GG and breast-feeding in the prevention of rotavirus nosocomial infection. *J Pediatr Gastroenterol Nutr* 2002;35(4):527-31.
22. Mattar AF, Teitelbaum DH, Drongowski RA, Yongyi F, Harmon CM, Coran AG. Probiotics up-regulate MUC-2 mucin gene expression in a Caco-2 cell-culture model. *Pediatr Surg Int* 2002;18(7):586-90.
23. Mirasoli M, Roda A, Montagnani M, Azzaroli F, Roda E. Cholic acid metabolism in human fecal cultures during diet supplementation with *Lactobacillus rhamnosus* GG. *Minerva Gastroenterol Dietol* 2002;48(1):45-9.
24. Morita H, He F, Fuse T, Ouwehand AC, Hashimoto H, Hosoda M, et al. Adhesion of lactic acid bacteria to caco-2 cells and their effect on cytokine secretion. *Microbiol Immunol* 2002;46(4):293-7.
25. Ouwehand AC, Salminen S, Tölkö S, Roberts P, Ovaska J, Salminen E. Recent human colonic tissue: new model for characterizing adhesion of lactic acid bacteria. *Clin Diagn Lab Immunol* 2002;9(1):184-6.
26. Ouwehand AC, Salminen S, Tolkkö S, Roberts PJ, Ovaska J, Salminen E. Dependent adhesion of lactic acid bacteria to colonic tissue in vitro. *Microecology and Therapy* 2002;29:95-102.
27. Prantera C, Scribano ML, Falasco G, Andreoli A, Luzi C. Ineffectiveness of probiotics in preventing recurrence after curative resection for Crohn's disease: a randomised controlled trial with *Lactobacillus* GG. *Gut* 2002;51(3):405-9.
28. Rautava S, Kalliomaki M, Isolauri E. Probiotics during pregnancy and breast-feeding might confer immunomodulatory protection against atopic disease in the infant. *J Allergy Clin Immunol* 2002;109(1 Pt 1):119-21.
29. Salminen MK, Tynkkynen S, Rautelin H, Saxelin M, Vaara M, Ruutu P, et al. *Lactobacillus* bacteremia during a rapid increase in probiotic use of *Lactobacillus rhamnosus* GG in Finland. *Clin Infect Dis* 2002;35(10):1155-60.
30. Seow SW, Rahmat JN, Mohamed AA, Mahendran R, Lee YK, Bay BH. *Lactobacillus* species is more cytotoxic to human bladder cancer cells than *Mycobacterium Bovis* (bacillus Calmette-Guerin). *J Urol* 2002;168(5):2236-9.
31. Shibolet O, Karmeli F, Eliakim R, Swennen E, Brigidi P, Gionchetti P, et al. Variable response to probiotics in two models of experimental colitis in rats. *Inflamm Bowel Dis* 2002;8(6):399-406.

32. Turbic A, Ahokas JT, Haskard CA. Selective in vitro binding of dietary mutagens, individually or in combination, by lactic acid bacteria. *Food Addit Contam* 2002;19(2):144-52.
33. Vandenplas Y. No effect of oral treatment with an intestinal bacterial strain, *Lactobacillus rhamnosus* (ATCC 53103), on birch-pollen allergy: a placebo-controlled double-blind study. *J Pediatr Gastroenterol Nutr* 2002;35(4):587-8.
34. Weese JS, Anderson ME. Preliminary evaluation of *Lactobacillus rhamnosus* strain GG, a potential probiotic in dogs. *Can Vet J* 2002;43(10):771-4.
35. Wei H, Loimaranta V, Tenovuo J, Rokka S, Syvaaja EL, Korhonen H, et al. Stability and activity of specific antibodies against *Streptococcus mutans* and *Streptococcus sobrinus* in bovine milk fermented with *Lactobacillus rhamnosus* strain GG or treated at ultra-high temperature. *Oral Microbiol Immunol* 2002;17(1):9-15.
36. Wei H, Marnila P, Korhonen H. Effects of anti-caries antibodies on *Lactobacillus* GG in its fermentation and storage periods. *Biomed Environ Sci* 2002;15(2):153-65.
37. Yan F, Polk DB. Probiotic bacterium prevents cytokine-induced apoptosis in intestinal epithelial cells. *J Biol Chem* 2002;277(52):50959-65.
38. Yeung PSM, Sanders ME, Kitts CL, Cano R, Tong PS. Species-specific identification of commercial probiotic strains. *Journal Of Dairy Science* 2002;85(5):1039-1051.

2001 (31)

1. Adawi D, Ahrne S, Molin G. Effects of different probiotic strains of *Lactobacillus* and *Bifidobacterium* on bacterial translocation and liver injury in an acute liver injury model. *Int J Food Microbiol* 2001;70(3):213-20.
2. Apostolou E, Kirjavainen PV, Saxelin M, Rautelin H, Valtonen V, Salminen SJ, et al. Good adhesion properties of probiotics: a potential risk for bacteremia? *FEMS Immunol Med Microbiol* 2001;31:35-39.
3. Apostolou E, Pelto L, Kirjavainen PV, Isolauri E, Salminen SJ, Gibson GR. Differences in the gut bacterial flora of healthy and milk-hypersensitive adults, as measured by fluorescence in situ hybridization. *FEMS Immunol Med Microbiol* 2001;30(3):217-21.
4. Armuzzi A, Cremonini F, Bartolozzi F, Canducci F, Candelli M, Ojetti V, et al. The effect of oral administration of *Lactobacillus* GG on antibiotic-associated gastrointestinal side-effects during *Helicobacter pylori* eradication therapy. *Aliment Pharmacol Ther* 2001;15(2):163-9.
5. Armuzzi A, Cremonini F, Ojetti V, Bartolozzi F, Canducci F, Candelli M, et al. Effect of *Lactobacillus* GG supplementation on antibiotic-associated gastrointestinal side effects during *Helicobacter pylori* eradication therapy: a pilot study. *Digestion* 2001;63(1):1-7.
6. Brandt K, Tilsala-Timisjärvi A, Alatossava T. Phage-related DNA polymorphism in dairy and probiotic *Lactobacillus*. *Micron* 2001;32(59-65).
7. Cardona ME, Midtvedt T, Norin E. Probiotics in gnotobiotic mice: Short-chain fatty acids production *in vitro* and *in vivo*. *Scand J Lab Anim Sci* 2001;28(2):75-84.
8. Charteris WP, Kelly PM, Morelli L, Collins JK. Quality control *Lactobacillus* strains for use with the API 50CH and API ZYM systems at 37 degrees C. *J Basic Microbiol* 2001;41(5):241-51.

9. Charteris WP, Kelly PM, Morelli L, Collins JK. Gradient diffusion antibiotic susceptibility testing of potentially probiotic lactobacilli. *J Food Prot* 2001;64(12):2007-14.
10. Elmadfa I, Heinzle C, Majchrzak D, Foissy H. Influence of a probiotic yoghurt on the status of vitamins B(1), B(2) and B(6) in the healthy adult human. *Ann Nutr Metab* 2001;45(1):13-8.
11. Erkkila S, Suihko ML, Eerola S, Petaja E, Mattila-Sandholm T. Dry sausage fermented by *Lactobacillus rhamnosus* strains. *Int J Food Microbiol* 2001;64(1-2):205-10.
12. Gavazzi C, Stacchiotti S, Cavalletti R, Lodi R. Confusion after antibiotics. *Lancet* 2001;357(9266):1410.
13. Gopal PK, Prasad J, Smart J, Gill HS. In vitro adherence properties of *Lactobacillus rhamnosus* DR20 and *Bifidobacterium lactis* DR10 strains and their antagonistic activity against an enterotoxigenic *Escherichia coli*. *Int J Food Microbiol* 2001;67(3):207-16.
14. Gotteland M, Cruchet S, Verbeke S. Effect of *Lactobacillus* ingestion on the gastrointestinal mucosal barrier alterations induced by indometacin in humans. *Aliment Pharmacol Ther* 2001;15(1):11-7.
15. Haskard CA, El-Nezami HS, Kankaanpaa PE, Salminen S, Ahokas JT. Surface binding of aflatoxin B(1) by lactic acid bacteria. *Appl Environ Microbiol* 2001;67(7):3086-91.
16. Hatakka K, Savilahti E, Ponka A, Meurman JH, Poussa T, Nase L, et al. Effect of long term consumption of probiotic milk on infections in children attending day care centres: double blind, randomised trial. *Bmj* 2001;322(7298):1327.
17. Holma R, Salmenpera P, Lohi J, Vapaatalo H, Korpela R. Effects of *Lactobacillus rhamnosus* GG and *Lactobacillus reuteri* R2LC on acetic acid-induced colitis in rats. *Scand J Gastroenterol* 2001;36(6):630-5.
18. Juntunen M, Kirjavainen PV, Ouwehand AC, Salminen SJ, Isolauri E. Adherence of probiotic bacteria to human intestinal mucus in healthy infants and during rotavirus infection. *Clin Diagn Lab Immunol* 2001;8(2):293-6.
19. Kalliomaki M, Salminen S, Arvilommi H, Kero P, Koskinen P, Isolauri E. Probiotics in primary prevention of atopic disease: a randomised placebo-controlled trial. *Lancet* 2001;357(9262):1076-9.
20. Kankaanpaa PE, Salminen SJ, Isolauri E, Lee YK. The influence of polyunsaturated fatty acids on probiotic growth and adhesion. *FEMS Microbiol Lett* 2001;194(2):149-53.
21. Kontiokari T, Sundqvist K, Nuutinen M, Pokka T, Koskela M, Uhari M. Randomised trial of cranberry-lingonberry juice and *Lactobacillus* GG drink for the prevention of urinary tract infections in women. *Bmj* 2001;322(7302):1571.
22. Korhonen R, Korpela R, Saxelin M, Maki M, Kankaanranta H, Moilanen E. Induction of nitric oxide synthesis by probiotic *Lactobacillus rhamnosus* GG in J774 macrophages and human T84 intestinal epithelial cells. *Inflammation* 2001;25(4):223-32.
23. Mattar AF, Drongowski RA, Coran AG, Harmon CM. Effect of probiotics on enterocyte bacterial translocation in vitro. *Pediatr Surg Int* 2001;17(4):265-8.
24. Näse L, Hatakka K, Savilahti E, Saxelin M, Ponka A, Poussa T, et al. Effect of long-term consumption of a probiotic bacterium, *Lactobacillus rhamnosus* GG, in milk on dental caries and caries risk in children. *Caries Res* 2001;35(6):412-20.
25. Nikoskelainen S, Salminen S, Bylund G, Ouwehand AC. Characterization of the properties of human- and dairy-derived probiotics for prevention of infectious diseases in fish. *Appl Environ Microbiol* 2001;67(6):2430-5.

26. Ouwehand AC, Tuomola EM, Tolkkio S, Salminen S. Assessment of adhesion properties of novel probiotic strains to human intestinal mucus. *Int J Food Microbiol* 2001;64(1-2):119-26.
27. Pessi T, Isolauri E, Sutas Y, Kankaanranta H, Moilanen E, Hurme M. Suppression of T-cell activation by *Lactobacillus rhamnosus* GG-degraded bovine casein. *Int Immunopharmacol* 2001;1(2):211-8.
28. Reid G, Beuerman D, Heinemann C, Bruce AW. Probiotic *Lactobacillus* dose required to restore and maintain a normal vaginal flora. *FEMS Immunol Med Microbiol* 2001;32(1):37-41.
29. Strus M, Marewicz E, Kukla G, Ruranska-Smutnicka D, Przondo-Mordarska A, Heczko PB. Surface properties of *Lactobacillus* strains of human origin. *Microbial Ecol Health Dis* 2001;13:240-5.
30. Thomas MR, Litin SC, Osmon DR, Corr AP, Weaver AL, Lohse CM. Lack of effect of *Lactobacillus* GG on antibiotic-associated diarrhea: a randomized, placebo-controlled trial. *Mayo Clin Proc* 2001;76(9):883-9.
31. Zoppi G, Cinquetti M, Benini A, Bonamini E, Bertazzoni Minelli E. Modulation of the intestinal ecosystem by probiotics and lactulose in children during treatment with ceftriaxone. *Current Ther Res* 2001;62(5):418-35.

2000 (29)

1. Broccali G, Berti M, Pistolesi E, Cestaro B. Study of the effect of *lactobacillus* GG supplementation in combination with and without arginine aspartate on lipoproteins and liver peroxidation in cholesterol-fed rats. *Int J Food Sci Nutr* 2000;51(6):475-82.
2. Busscher HJ, Free RH, Van Weissenbruch R, Albers FWJ, Van der Mei HC. Preliminary observations on influence of dairy products on biofilm removal from silicone rubber voice prostheses in vitro. *Journal Of Dairy Science* 2000;83(4):641-647.
3. Cardona ME, Vanay VV, Midtvedt T, Norin E. Probiotics in gnotobiotic mice. Conversion of cholesterol to coprostanol in vitro and in vivo and bile acid deconjugation in vitro. *Microbial Ecol Health Dis* 2000;12:219-24.
4. Charteris WP, Kelly PM, Morelli L, Collins JK. Effect of conjugated bile salts on antibiotic susceptibility of bile salt-tolerant *Lactobacillus* and *Bifidobacterium* isolates. *J Food Prot* 2000;63(10):1369-76.
5. El-Nezami H, Mykkanen H, Kankaanpaa P, Salminen S, Ahokas J. Ability of *Lactobacillus* and *Propionibacterium* strains to remove aflatoxin B₁ from the chicken duodenum. *J Food Prot* 2000;63(4):549-52.
6. Guandalini S, Pensabene L, Zikri MA, Dias JA, Casali LG, Hoekstra H, et al. *Lactobacillus* GG administered in oral rehydration solution to children with acute diarrhea: a multicenter European trial. *J Pediatr Gastroenterol Nutr* 2000;30(1):54-60.
7. Gupta P, Andrew H, Kirschner BS, Guandalini S. Is *lactobacillus* GG helpful in children with Crohn's disease? Results of a preliminary, open-label study. *J Pediatr Gastroenterol Nutr* 2000;31(4):453-7.
8. Haskard C, Binnion C, Ahokas J. Factors affecting the sequestration of aflatoxin by *Lactobacillus rhamnosus* strain GG. *Chem Biol Interact* 2000;128(1):39-49.
9. He F, Tuomola E, Arvilommi H, Salminen S. Modulation of humoral immune response through probiotic intake. *FEMS Immunol Med Microbiol* 2000;29(1):47-52.

10. Isolauri E, Arvola T, Sutas Y, Moilanen E, Salminen S. Probiotics in the management of atopic eczema. *Clin Exp Allergy* 2000;30(11):1604-10.
11. Kankaanpää P, Tuomola E, El-Nezami H, Ahokas J, Salminen SJ. Binding of aflatoxin B1 alters the adhesion properties of *Lactobacillus rhamnosus* strain GG in a Caco-2 model. *J Food Prot* 2000;63(3):412-4.
12. Kaplan H, Hutkins RW. Fermentation of fructooligosaccharides by lactic acid bacteria and bifidobacteria. *Appl Environ Microbiol* 2000;66(6):2682-4.
13. Klein G, Hallmann C, Casas IA, Abad J, Louwers J, Reuter G. Exclusion of vanA, vanB and vanC type glycopeptide resistance in strains of *Lactobacillus reuteri* and *Lactobacillus rhamnosus* used as probiotics by polymerase chain reaction and hybridization methods. *J Appl Microbiol* 2000;89(5):815-24.
14. Kneifel W, Rajal A, Kulbe KD. In vitro growth behaviour of probiotic bacteria in culture media with carbohydrates of prebiotic importance. *Microbial Ecol. Health Disease* 2000;12:27-34.
15. Lee DJ, Drongowski RA, Coran AG, Harmon CM. Evaluation of probiotic treatment in a neonatal animal model. *Pediatr Surg Int* 2000;16(4):237-42.
16. Lee YK, Lim CY, Teng WL, Ouwehand AC, Tuomola EM, Salminen S. Quantitative approach in the study of adhesion of lactic acid bacteria to intestinal cells and their competition with enterobacteria. *Appl Environ Microbiol* 2000;66(9):3692-7.
17. McCracken A, Turner MS, Giffard P, Hafner LM, Timms P. Analysis of promoter sequences from *Lactobacillus* and *Lactococcus* and their activity in several *Lactobacillus* species. *Arch Microbiol* 2000;173(5-6):383-9.
18. Miettinen M, Lehtonen A, Julkunen I, Matikainen S. *Lactobacilli* and *Streptococci* activate NF-kappa B and STAT signaling pathways in human macrophages. *J Immunol* 2000;164(7):3733-40.
19. Nosova T, Jousimies-Somer H, Jokelainen K, Heine R, Salaspuro M. Acetaldehyde production and metabolism by human indigenous and probiotic *Lactobacillus* and *Bifidobacterium* strains. *Alcohol Alcohol* 2000;35(6):561-8.
20. O'Sullivan MA, O'Morain CA. Bacterial supplementation in the irritable bowel syndrome. A randomised double-blind placebo-controlled crossover study. *Dig Liver Dis* 2000;32(4):294-301.
21. Ouwehand AC, Grasten S, Niemi P, Mykkanen H, Salminen S. Wheat or rye supplemented diets do not affect faecal mucus concentration or the adhesion of probiotic micro-organisms to faecal mucus. *Lett Appl Microbiol* 2000;31(1):30-3.
22. Ouwehand AC, Isolauri E, Kirjavainen PV, Tolkkio S, Salminen SJ. The mucus binding of *Bifidobacterium lactis* Bb12 is enhanced in the presence of *Lactobacillus* GG and *Lact. delbrueckii* subsp. *bulgaricus*. *Lett Appl Microbiol* 2000;30(1):10-3.
23. Ouwehand AC, Tolkkio S, Kulmala J, Salminen S, Salminen E. Adhesion of inactivated probiotic strains to intestinal mucus. *Lett Appl Microbiol* 2000;31(1):82-6.
24. Pessi T, Sutas Y, Hurme M, Isolauri E. Interleukin-10 generation in atopic children following oral *Lactobacillus rhamnosus* GG. *Clin Exp Allergy* 2000;30(12):1804-8.
25. Pierides M, El-Nezami H, Peltonen K, Salminen S, Ahokas J. Ability of dairy strains of lactic acid bacteria to bind aflatoxin M1 in a food model. *J Food Protect.* 2000;63(5):645-50.

26. Tuomola EM, Ouwehand AC, Salminen SJ. Chemical, physical and enzymatic pre-treatments of probiotic lactobacilli alter their adhesion to human intestinal mucus glycoproteins. *Int J Food Microbiol* 2000;60(1):75-81.
27. Vanderhoof J, Whitney D, Antonson D. In children receiving antibiotics, does coadministration of *Lactobacillus* GG reduce the incidence of diarrhea? *West J Med* 2000;173(6):397.
28. Wagner RD, Dohnalek M, Hilty M, Vazquez-Torres A, Balish E. Effects of probiotic bacteria on humoral immunity to *Candida albicans* in immunodeficient bg/bg-nu/nu and bg/bg-nu/+ mice. *Rev Iberoam Micol* 2000;17(2):55-9.
29. Wagner RD, Pierson C, Warner T, Dohnalek M, Hilty M, Balish E. Probiotic effects of feeding heat-killed *Lactobacillus acidophilus* and *Lactobacillus casei* to *Candida albicans*-colonized immunodeficient mice. *J. Food Protect.* 2000;63(5):638-44.

1999 (19)

1. Alander M, De Smet I, Nollet L, Verstraete W, von Wright A, Mattila-Sandholm T. The effect of probiotic strains on the microbiota of the Simulator of the Human Intestinal Microbial EcoSystem (SHIME). *Int J Food Microbiol* 1999;46(1):71-79.
2. Alander M, Satokari R, Korpela R, Saxelin M, Vilpponen-Salmela T, Mattila-Sandholm T, et al. Persistence of colonization of human colonic mucosa by a probiotic strain, *Lactobacillus rhamnosus* GG, after oral consumption. *Appl Environ Microbiol* 1999;65(1):351-4.
3. Arvola T, Laiho K, Torkkeli S, Mykkanen H, Salminen S, Maunula L, et al. Prophylactic *Lactobacillus* GG reduces antibiotic-associated diarrhea in children with respiratory infections: a randomized study. *Pediatrics* 1999;104(5):e64.
4. Busscher HJ, Mulder AFJM, van der Mei HC. *In vitro* adhesion to enamel and *in vivo* colonization of tooth surfaces by lactobacilli from bio-yoghurt. *Caries Research* 1999;33:403-4.
5. Jacobsen CN, Rosenfeldt Nielsen V, Hayford AE, Moller PL, Michaelsen KF, Paerregaard A, et al. Screening of probiotic activities of forty-seven strains of *Lactobacillus* spp. by *in vitro* techniques and evaluation of the colonization ability of five selected strains in humans. *Appl Environ Microbiol* 1999;65(11):4949-56.
6. Kirjavainen PV, ElNezami HS, Salminen SJ, Ahokas JT, Wright PF. Effects of orally administered viable *Lactobacillus rhamnosus* GG and *Propionibacterium freudenreichii* subsp. *shermanii* JS on mouse lymphocyte proliferation. *Clin Diagn Lab Immunol* 1999;6(6):799-802.
7. Kirjavainen PV, Tuomola EM, Crittenden RG, Ouwehand AC, Harty DW, Morris LF, et al. *In vitro* adhesion and platelet aggregation properties of bacteremia-associated lactobacilli. *Infect Immun* 1999;67(5):2653-5.
8. Mack DR, Michail S, Wei S, McDougall L, Hollingsworth MA. Probiotics inhibit enteropathogenic *E. coli* adherence *in vitro* by inducing intestinal mucin gene expression. *Am J Physiol* 1999;276(4 Pt 1):G941-50.
9. McCracken A, Timms P. Efficiency of transcription from promoter sequence variants in *Lactobacillus* is both strain and context dependent. *J Bacteriol* 1999;181(20):6569-72.
10. McIntosh GH, Royle PJ, Playne MJ. A probiotic strain of *L. acidophilus* reduces DMH-induced large intestinal tumors in male Sprague-Dawley rats. *Nutr Cancer* 1999;35(2):153-9.

11. Oberhelman RA, Gilman RH, Sheen P, Taylor DN, Black RE, Cabrera L, et al. A placebo-controlled trial of *Lactobacillus* GG to prevent diarrhea in undernourished Peruvian children. *J Pediatr* 1999;134(1):15-20.
12. Ouwehand AC, Kirjavainen PV, Grönlund MM, Isolauri E, Salminen SJ. Adhesion of probiotic microorganisms to intestinal mucus. *Int. Dairy J.* 1999;9:623-30.
13. Ouwehand AC, Niemi P, Salminen SJ. The normal faecal microflora does not affect the adhesion of probiotic bacteria in vitro. *FEMS Microbiol Lett* 1999;177(1):35-8.
14. Pessi T, Sutas Y, Saxelin M, Kallioinen H, Isolauri E. Antiproliferative effects of homogenates derived from five strains of candidate probiotic bacteria. *Appl Environ Microbiol* 1999;65(11):4725-8.
15. Rautio M, Jousimies-Somer H, Kauma H, Pietarinen I, Saxelin M, Tynkkynen S, et al. Liver abscess due to a *Lactobacillus rhamnosus* strain indistinguishable from *L. rhamnosus* strain GG. *Clin Infect Dis* 1999;28(5):1159-60.
16. Salzano P, Piscopo L, Tirabasso S, Musone R, Ambrosio D, Cardone A. Ruolo del *Lactobacillus casei* subsp. *rhamnosus* GG (ATCC 53103) nel trattamento delle cistiti e vaginiti recidivanti ed effetto preventivo nelle cistiti e vaginiti specifiche dopo terapia. *Gazzetta Medica Italiana* 1999;152(2):59-63.
17. Tuomola EM, Ouwehand AC, Salminen SJ. Human ileostomy glycoproteins as a model for small intestinal mucus to investigate adhesion of probiotics. *Lett Appl Microbiol* 1999;28(3):159-63.
18. Tuomola EM, Ouwehand AC, Salminen SJ. The effect of probiotic bacteria on the adhesion of pathogens to human intestinal mucus. *FEMS Immunol Med Microbiol* 1999;26(2):137-42.
19. Vanderhoof JA, Whitney DB, Antonson DL, Hanner TL, Lupo JV, Young RJ. *Lactobacillus* GG in the prevention of antibiotic-associated diarrhea in children. *J Pediatr* 1999;135(5):564-8.

1998 (20)

1. Charteris WP, Kelly PM, Morelli L, Collins JK. Antibiotic susceptibility of potentially probiotic *Lactobacillus* species. *J Food Prot* 1998;61(12):1636-43.
2. Charteris WP, Kelly PM, Morelli L, Collins JK. Development and application of an in vitro methodology to determine the transit tolerance of potentially probiotic *Lactobacillus* and *Bifidobacterium* species in the upper human gastrointestinal tract. *J Appl Microbiol* 1998;84(5):759-68.
3. Coconnier M-H, Lievin V, Hemery E, Servin A. Antagonistic activity against *Helicobacter* infection in vitro and in vivo by the human *Lactobacillus acidophilus* strain LB. *Appl. Environ. Microbiol.* 1998;64(11):4573-80.
4. El-Nezami H, Kankaanpää P, Salminen S, Ahokas J. Ability of dairy strains of lactic acid bacteria to bind a common food carcinogen, aflatoxin B1. *Food Chem Toxicol* 1998;36(4):321-6.
5. el-Nezami H, Kankaanpää P, Salminen S, Ahokas J. Physicochemical alterations enhance the ability of dairy strains of lactic acid bacteria to remove aflatoxin from contaminated media. *J Food Prot* 1998;61(4):466-8.
6. Hosoda M, He F, Kojima T, Hashimoto H, Iino H. Effects of fermented milk with *Lactobacillus rhamnosus* GG strain administration on defecation, putrefactive metabolites and fecal microflora of healthy volunteers. *J Nutritional Food* 1998;1(3-4):1-9.

7. Jaskari J, Kontula P, Siitonen A, Jousimies-Somer H, Mattila-Sandholm T, Poutanen K. Oat β -glucan and xylan hydrolysates as selective substrates for *Bifidobacterium* and *Lactobacillus* strains. *Appl. Microbiol. Biotechnol.* 1998;49:175-81.
8. Kaila M, Isolauri E, Sepp E, Mikelsaar M, Salminen S. Fecal recovery of a human *Lactobacillus* strain (ATCC 53103) during dietary therapy of rotavirus diarrhea in infants. *Biosci. Microflora* 1998;17(2):149-51.
9. Kirjavainen PV, Ouwehand AC, Isolauri E, Salminen SJ. The ability of probiotic bacteria to bind to human intestinal mucus. *FEMS Microbiol Lett* 1998;167(2):185-9.
10. Kontula P, Jaskari J, Nollet L, De Smet I, von Wright A, Poutanen K, et al. The colonization of a simulator of the human intestinal microbial ecosystem by a probiotic strain fed on a fermented oat bran product: effects on the gastrointestinal microbiota. *Appl Microbiol Biotechnol* 1998;50(2):246-52.
11. Kontula P, von Wright A, Mattila-Sandholm T. Oat bran beta-gluco- and xylo-oligosaccharides as fermentative substrates for lactic acid bacteria. *Int J Food Microbiol* 1998;45(2):163-9.
12. Miettinen M, Alander M, Von Wright A, Vuopio-Varkila J, Marteau P, Huis In't Veld J, et al. The survival of and cytokine induction by lactic acid bacteria after passage through a gastrointestinal model. *Microbial Ecol Health Dis* 1998;10:141-7.
13. Miettinen M, Matikainen S, Vuopio-Varkila J, Pirhonen J, Varkila K, Kurimoto M, et al. Lactobacilli and streptococci induce interleukin-12 (IL-12), IL-18, and gamma interferon production in human peripheral blood mononuclear cells. *Infect Immun* 1998;66(12):6058-62.
14. Naaber P, Mikelsaar RH, Salminen S, Mikelsaar M. Bacterial translocation, intestinal microflora and morphological changes of intestinal mucosa in experimental models of *Clostridium difficile* infection. *J Med Microbiol* 1998;47(7):591-8.
15. Pelto L, Isolauri E, Lilius EM, Nuutila J, Salminen S. Probiotic bacteria down-regulate the milk-induced inflammatory response in milk-hypersensitive subjects but have an immunostimulatory effect in healthy subjects. *Clin Exp Allergy* 1998;28(12):1474-9.
16. Pessi T, Sutas Y, Marttinen A, Isolauri E. Probiotics reinforce mucosal degradation of antigens in rats: implications for therapeutic use of probiotics. *J Nutr* 1998;128(12):2313-8.
17. Rautanen T, Isolauri E, Salo E, Vesikari T. Management of acute diarrhoea with low osmolarity oral rehydration solutions and *Lactobacillus* strain GG. *Arch Dis Child* 1998;79(2):157-60.
18. Tuomola EM, Salminen SJ. Adhesion of some probiotic and dairy *Lactobacillus* strains to Caco-2 cell cultures. *Int J Food Microbiol* 1998;41(1):45-51.
19. Tynkkynen S, Singh KV, Varmanen P. Vancomycin resistance factor of *Lactobacillus rhamnosus* GG in relation to enterococcal vancomycin resistance (*van*) genes. *Int J Food Microbiol* 1998;41(3):195-204.
20. Vanderhoof JA, Young RJ, Murray N, Kaufman SS. Treatment strategies for small bowel bacterial overgrowth in short bowel syndrome. *J Pediatr Gastroenterol Nutr* 1998;27(2):155-60.

1997 (18)

1. Alander M, Korpela R, Saxelin M, Vilpponen-Salmela T, Mattila-Sandholm T, von Wright A. Recovery of *Lactobacillus rhamnosus* GG from human colonic biopsies. *Lett Appl Microbiol* 1997;24(5):361-4.

2. Grönlund MM, Lehtonen OP, Kero P, Saxelin M, Salminen S. *Lactobacillus* GG supplementation does not reduce faecal colonization of *Klebsiella oxytoca* in preterm infants. *Acta Paediatr* 1997;86(4):440-1.
3. Guarino A, Canani RB, Spagnuolo MI, Albano F, Di Benedetto L. Oral bacterial therapy reduces the duration of symptoms and of viral excretion in children with mild diarrhea. *J Pediatr Gastroenterol Nutr* 1997;25(5):516-9.
4. Hilton E, Kolakowski P, Singer C, Smith M. Efficacy of *Lactobacillus* GG as a Diarrheal Preventive in Travelers. *J Travel Med* 1997;4(1):41-43.
5. Hudault S, Lievin V, Bernet-Camard MF, Servin AL. Antagonistic activity exerted in vitro and in vivo by *Lactobacillus casei* (strain GG) against *Salmonella typhimurium* C5 infection. *Appl Environ Microbiol* 1997;63(2):513-8.
6. Korpela R, Moilanen E, Saxelin M, Vapaatalo H. *Lactobacillus rhamnosus* GG (ATCC 53103) and platelet aggregation in vitro. *Int J Food Microbiol* 1997;37(1):83-6.
7. Korpela R, Peuhkuri K, Lähteenmäki T, Sievi E, Saxelin M, Vapaatalo H. *Lactobacillus rhamnosus* GG shows antioxidative properties in vascular endothelial cell culture. *Milchwissenschaft* 1997;52(9):503-5.
8. Lehto EM, Salminen S. Adhesion of two *Lactobacillus* strains, one *Lactococcus* and one *Probiobacterium* strain to cultured human intestinal Caco-2 cell line. *Bioscience Microflora* 1997;16:13-17.
9. Lehto EM, Salminen SJ. Inhibition of *Salmonella typhimurium* adhesion to Caco-2 cell cultures by *Lactobacillus* strain GG spent culture supernate: only a pH effect? *FEMS Immunol Med Microbiol* 1997;18(2):125-32.
10. Majamaa H, Isolauri E. Probiotics: a novel approach in the management of food allergy. *J Allergy Clin Immunol* 1997;99(2):179-85.
11. Malin M, Verronen P, Korhonen H, Syväoja EL, Salminen S, Mykkanen H, et al. Dietary therapy with *Lactobacillus* GG, bovine colostrum or bovine immune colostrum in patients with juvenile chronic arthritis: Evaluation of effect on gut defence mechanisms. *Inflammopharmacology* 1997;5(3):219-36.
12. Marini A, Clerici-Bagozzi D, Maglia T, Casetta P, Negretti F. Microbiological and immunological observations in the stools of preterm neonates orally treated with probiotic products. Note III: treatment with *Lactobacillus* GG. *Dev Physiopath Clin* 1997;7:87-94.
13. Negretti F, Casetta P, Clerici-Bagozzi D, Marini A. Researches on the intestinal and systemic immunoresponses after oral treatment with *Lactobacillus* GG in the rabbit. *Dev Physiopathol Clin* 1997;7:15-21.
14. Rokka T, Syväoja EL, Tuominen J, Korhonen H. Release of bioactive peptides by enzymatic proteolysis of *Lactobacillus* GG fermented UHT milk. *Milchwissenschaft* 1997;52(12):675-8.
15. Shornikova AV, Isolauri E, Burkanova L, Lukovnikova S, Vesikari T. A trial in the Karelian Republic of oral rehydration and *Lactobacillus* GG for treatment of acute diarrhoea. *Acta Paediatr* 1997;86(5):460-5.
16. Wagner RD, Pierson C, Warner T, Dohnalek M, Farmer J, Roberts L, et al. Biotherapeutic effects of probiotic bacteria on candidiasis in immunodeficient mice. *Infect Immun* 1997;65(10):4165-72.
17. Wagner RD, Warner T, Roberts L, Farmer J, Balish E. Colonization of congenitally immunodeficient mice with probiotic bacteria. *Infect Immun* 1997;65(8):3345-51.
18. Yang Z, Suomalainen T, Mäyrä-Mäkinen A, Huttunen E. Antimicrobial activity of 2-pyrrolidone-5-carboxylic acid produced by lactic acid bacteria. *J Food Protect* 1997;60(7):786-90.

1996 (14)

1. Bennet RG, Gorbach SL, Goldin BR, Chang T-W, Laughon BE, Greenough III WB, et al. Treatment of relapsing *Clostridium difficile* diarrhea with *Lactobacillus* GG. *Nutrition Today* 1996;31(6, Suppl 1):35-8.
2. Benno Y, He F, Hosoda M, Hashimoto H, Kojima T, Yamazaki K, et al. Effect of *Lactobacillus* GG yoghurt on human intestinal microecology in Japanese subjects. *Nutrition Today* 1996;31(6, Suppl 1):9-11.
3. Goldin BR, Gualtieri LJ, Moore RP. The effect of *Lactobacillus* GG on the initiation and promotion of DMH-induced intestinal tumors in the rat. *Nutr Cancer* 1996;25(2):197-204.
4. Malin M, Suomalainen H, Saxelin M, Isolauri E. Promotion of IgA immune response in patients with Crohn's disease by oral bacteriotherapy with *Lactobacillus* GG. *Ann Nutr Metab* 1996;40(3):137-45.
5. Malin M, Verronen P, Mykkanen H, Salminen S, Isolauri E. Increased bacterial urease activity in faeces in juvenile chronic arthritis: evidence of altered intestinal microflora? *Br J Rheumatol* 1996;35(7):689-94.
6. Miettinen M, Vuopio-Varkila J, Varkila K. Production of human tumor necrosis factor alpha, interleukin-6, and interleukin-10 is induced by lactic acid bacteria. *Infect Immun* 1996;64(12):5403-5.
7. Millar MR, Linton CJ, Cade A, Glancy D, Hall M, Jalal H. Application of 16S rRNA gene PCR to study bowel flora of preterm infants with and without necrotizing enterocolitis. *J Clin Microbiol* 1996;34(10):2506-10.
8. Nighswonger BD, Brashears MM, Gilliland SE. Viability of *Lactobacillus acidophilus* and *Lactobacillus casei* in fermented milk products during refrigerated storage. *J Dairy Sci* 1996;79(2):212-9.
9. Pant AR, Graham SM, Allen SJ, Harikul S, Sabchareon A, Cuevas L, et al. *Lactobacillus* GG and acute diarrhoea in young children in the tropics. *J Trop Pediatr* 1996;42(3):162-5.
10. Saxelin M, Rautelin H., Salminen S., and Mäkelä, P.H. The safety of commercial products with viable *Lactobacillus* strains. *Infect Dis Clin Pract* 1996;5(5):331-5.
11. Saxelin M, Chuang NH, Chassy B, Rautelin H, Makela PH, Salminen S, et al. Lactobacilli and bacteremia in southern Finland, 1989-1992. *Clin Infect Dis* 1996;22(3):564-6.
12. Siigur U, Tamm E, Torm S, Lutsar I, Salminen S, Midtvedt T. Effect of bacterial infection and administration of a probiotic on faecal short-chain fatty acids. *Microbial Ecol Health Dis* 1996;9:271-7.
13. Sutas Y, Hurme M, Isolauri E. Down-regulation of anti-CD3 antibody-induced IL-4 production by bovine caseins hydrolysed with *Lactobacillus* GG-derived enzymes. *Scand J Immunol* 1996;43(6):687-9.
14. Sutas Y, Soppi E, Korhonen H, Syvaaja EL, Saxelin M, Rokka T, et al. Suppression of lymphocyte proliferation in vitro by bovine caseins hydrolyzed with *Lactobacillus casei* GG-derived enzymes. *J Allergy Clin Immunol* 1996;98(1):216-24.

1995 (15)

1. Biller JA, Katz AJ, Flores AF, Buie TM, Gorbach SL. Treatment of recurrent *Clostridium difficile* colitis with *Lactobacillus* GG. *J Pediatr Gastroenterol Nutr* 1995;21(2):224-6.

2. Hilton E, Rindos P, Isenberg HD. *Lactobacillus* GG vaginal suppositories and vaginitis. *J Clin Microbiol* 1995;33(5):1433.
3. Isolauri E, Joensuu J, Suomalainen H, Luomala M, Vesikari T. Improved immunogenicity of oral D x RRV reassortant rotavirus vaccine by *Lactobacillus casei* GG. *Vaccine* 1995;13(3):310-2.
4. Kaila M, Isolauri E, Saxelin M, Arvilommi H, Vesikari T. Viable versus inactivated *Lactobacillus* strain GG in acute rotavirus diarrhoea. *Arch Dis Child* 1995;72(1):51-3.
5. Majamaa H, Isolauri E, Saxelin M, Vesikari T. Lactic acid bacteria in the treatment of acute rotavirus gastroenteritis. *J Pediatr Gastroenterol Nutr* 1995;20(3):333-8.
6. Meurman JH, Antila H, Korhonen A, Salminen S. Effect of *Lactobacillus rhamnosus* strain GG (ATCC 53103) on the growth of *Streptococcus sobrinus* in vitro. *Eur J Oral Sci* 1995;103(4):253-8.
7. Raza S, Graham SM, Allen SJ, Sultana S, Cuevas L, Hart CA. *Lactobacillus* GG promotes recovery from acute nonbloody diarrhea in Pakistan. *Pediatr Infect Dis J* 1995;14(2):107-11.
8. Raza S, Graham SM, Allen SJ, Sultana S, Cuevas L, Hart CA, et al. *Lactobacillus* GG in acute diarrhea. *Indian Pediatr* 1995;32(10):1140-2.
9. Ruseler-van Embden JG, van Lieshout LM, Gosselink MJ, Marteau P. Inability of *Lactobacillus casei* strain GG, *L. acidophilus*, and *Bifidobacterium bifidum* to degrade intestinal mucus glycoproteins. *Scand J Gastroenterol* 1995;30(7):675-80.
10. Ruseler-van Embden JG, Van Lieshout LM, Marteau P. Inability of *Lactobacillus casei* strain GG, *L. acidophilus*, and *Bifidobacterium bifidum* to degrade intestinal mucus glycoproteins. *Microecology and Therapy* 1995;25:304-9.
11. Samuel MJ. Paediatrics Forum. Acute diarrhoea. *Afr Health* 1995;17(5):27, 29-30.
12. Sarem-Damerdjil L, Sarem F, Marchal L, Nicolas JP. In vitro colonization ability of human colon mucosa by exogenous *Lactobacillus* strains. *FEMS Microbiol Lett* 1995;131(2):133-7.
13. Saxelin M, Pessi T, Salminen S. Fecal recovery following oral administration of *Lactobacillus* strain GG (ATCC 53103) in gelatine capsules to healthy volunteers. *Int J Food Microbiol* 1995;25(2):199-203.
14. Sepp E, Tamm E, Torm S, Lutsar I, Mikelsaar M, Salminen S. Impact of a *Lactobacillus* probiotic on the faecal microflora in children with shigellosis. *Microecol Therapy* 1995;23:74-80.
15. Sheen P, Oberhelman RA, Gilman RH, Cabrera L, Verastegui M, Madico G. Short report: a placebo-controlled study of *Lactobacillus* GG colonization in one-to-three-year-old Peruvian children. *Am J Trop Med Hyg* 1995;52(5):389-92.

1994 (6)

1. Hosoda M, He F, Hiramatu M, Hashimoto H, Benno Y. Effects of *Lactobacillus* GG strain intake on fecal microflora and defecation in healthy volunteers. *Bifidus (Japan Bifidus Foundation)* 1994;8:21-22.
2. Isolauri E, Kaila M, Mykkanen H, Ling WH, Salminen S. Oral bacteriotherapy for viral gastroenteritis. *Dig Dis Sci* 1994;39(12):2595-600.

3. Ling WH, Korpela R, Mykkanen H, Salminen S, Hanninen O. *Lactobacillus* strain GG supplementation decreases colonic hydrolytic and reductive enzyme activities in healthy female adults. *J Nutr* 1994;124(1):18-23.
4. Ling WH, Saxelin M, Hänninen O, Salminen S. Enzyme profile of *Lactobacillus* strain GG by a rapid API ZYM system: a comparison of intestinal bacterial strains. *Microb Ecol Health Dis* 1994;7:99-104.
5. Meurman JH, Antila H, Salminen S. Recovery of *Lactobacillus* strain GG (ATCC 53103) from saliva of healthy volunteers after consumption of yoghurt prepared with the bacterium. *Microbial. Ecol. Health Dis.* 1994;7:295-8.
6. Nanji AA, Khettry U, Sadrzadeh SM. *Lactobacillus* feeding reduces endotoxemia and severity of experimental alcoholic liver (disease). *Proc Soc Exp Biol Med* 1994;205(3):243-7.

1993 (8)

1. Donohue DC, Deighton M, Ahokas JT, Salminen S. Toxicity of lactic acid bacteria. *Lactic Acid Bacteria* 1993:307-13.
2. Isolauri E, Kaila M, Arvola T, Majamaa H, Rantala I, Virtanen E, et al. Diet during rotavirus enteritis affects jejunal permeability to macromolecules in suckling rats. *Pediatr Res* 1993;33(6):548-53.
3. Isolauri E, Majamaa H, Arvola T, Rantala I, Virtanen E, Arvilommi H. *Lactobacillus casei* strain GG reverses increased intestinal permeability induced by cow milk in suckling rats. *Gastroenterology* 1993;105(6):1643-50.
4. Millar MR, Bacon C, Smith SL, Walker V, Hall MA. Enteral feeding of premature infants with *Lactobacillus* GG. *Arch Dis Child* 1993;69(5 Spec No):483-7.
5. Salovaara H, Kontula P, Nieminen A, Mantere-Alhonen S. Oat bran as a substrate for lactic acid bacteria and bifidobacteria. *Progress in food fermentation Vol. x., Proceedings of Euro Food Chem.* 1993;VII:314-7.
6. Saxelin M, Ahokas M, Salminen S. Dose response on the faecal colonization of *Lactobacillus* strain GG administered in two different formulations. *Microbial Ecol Health Dis* 1993;6:119-122.
7. Sepp E, Mikelsaar M, Salminen S. Effect of administration of *Lactobacillus casei* strain GG on the gastrointestinal microbiota of newborns. *Microb Ecol Health Dis* 1993;6:309-14.
8. Stansbridge EM, Walker V, Hall MA, Smith SL, Millar MR, Bacon C, et al. Effects of feeding premature infants with *Lactobacillus* GG on gut fermentation. *Arch Dis Child* 1993;69(5 Spec No):488-92.

1992 (5)

1. Chauvière G, Coconnier M-H, Kerméis S, Fourniat J, Servin AL. Adhesion of human *Lactobacillus acidophilus* strain LB to human enterocyte-like Caco-2 cells. *J Gen Microbiol* 1992;138:1689-96.
2. Coconnier MH, Klaenhammer TR, Kerneis S, Bernet MF, Servin AL. Protein-mediated adhesion of *Lactobacillus acidophilus* BG2FO4 on human enterocyte and mucus-secreting cell lines in culture. *Appl Environ Microbiol* 1992;58(6):2034-9.

3. Goldin BR, Gorbach SL, Saxelin M, Barakat S, Gualtieri L, Salminen S. Survival of *Lactobacillus* species (strain GG) in human gastrointestinal tract. *Dig Dis Sci* 1992;37(1):121-8.
4. Kaila M, Isolauri E, Soppi E, Virtanen E, Laine S, Arvilommi H. Enhancement of the circulating antibody secreting cell response in human diarrhea by a human *Lactobacillus* strain. *Pediatr Res* 1992;32(2):141-4.
5. Ling WH, Hanninen O, Mykkanen H, Heikura M, Salminen S, Von Wright A. Colonization and fecal enzyme activities after oral *Lactobacillus* GG administration in elderly nursing home residents. *Ann Nutr Metab* 1992;36(3):162-6.

1991 (3)

1. Elo S, Saxelin M, Salminen S. Attachment of *Lactobacillus casei* strain GG to human colon carcinoma cell line Caco-2: comparison with other dairy strains. *Lett Appl Microbiol* 1991;13:154-156.
2. Isolauri E, Juntunen M, Rautanen T, Sillanauke P, Koivula T. A human *Lactobacillus* strain (*Lactobacillus casei* sp strain GG) promotes recovery from acute diarrhea in children. *Pediatrics* 1991;88(1):90-7.
3. Saxelin M, Elo S, Salminen S, Vapaatalo H. Dose response colonization of faeces after oral administration of *Lactobacillus casei* strain GG. *Microbial Ecol Health Dis* 1991;4:209-214.

1990 (2)

1. Oksanen PJ, Salminen S, Saxelin M, Hamalainen P, Ihantola-Vormisto A, Muurasniemi-Isoviita L, et al. Prevention of travellers' diarrhoea by *Lactobacillus* GG. *Ann Med* 1990;22(1):53-6.
2. Siitonen S, Vapaatalo H, Salminen S, Gordin A, Saxelin M, Wikberg R, et al. Effect of *Lactobacillus* GG yoghurt in prevention of antibiotic associated diarrhoea. *Ann Med* 1990;22(1):57-9.

1987 (3)

1. Dong MY, Chang TW, Gorbach SL. Effects of feeding *Lactobacillus* GG on lethal irradiation in mice. *Diagn Microbiol Infect Dis* 1987;7(1):1-7.
2. Gorbach SL, Chang TW, Goldin B. Successful treatment of relapsing *Clostridium difficile* colitis with *Lactobacillus* GG. *Lancet* 1987;2(8574):1519.
3. Silva M, Jacobus NV, Deneke C, Gorbach SL. Antimicrobial substance from a human *Lactobacillus* strain. *Antimicrob Agents Chemother* 1987;31(8):1231-3.